

Samsung OM55N-S Digital signage flat panel 139.7 cm (55") LCD Wi-Fi 4000 cd/m² Full HD Black Built-in processor Tizen 5.0

Gamintojas: **SAMSUNG** · Modelis: **LH55OMNESGBXEN** · EAN: **8806094036138** · Prekės kodas: **727207**



2 136,90 €

Kaina su PVM

Be PVM: **1 766,03 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Indoor/outdoor Digital signage flat panel Black
- ✓ 139.7 cm (55") 1920 x 1080 pixels LCD 4000 cd/m²
- ✓ 6 ms
- ✓ Ethernet LAN Wi-Fi



Techninė specifikacija

Specifications

Sandėlio grupė Digitale Signage [+26][-25]

Display

Display diagonal	139.7 cm (55")
Display technology	LCD
Display resolution	1920 x 1080 pixels
Display brightness	4000 cd/m ²
HD type	Full HD

Touchscreen	No
Panel type	VA
Response time	6 ms
Contrast ratio (typical)	6000:1
Dynamic contrast ratio marketing name	Mega Contrast
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.63 x 0.63 mm
Horizontal scan range	15 - 135 kHz
Vertical scan range	24 - 75 Hz
Pixel frequency (max)	594 MHz
Colour gamut	72%

Ports & interfaces

HDMI ports quantity	2
DVI port	No
DisplayPorts quantity	1
USB port	Yes
HDMI version	2
HDMI input ports quantity	2
DisplayPorts in	1
DisplayPort version	1.2
USB ports quantity	1
Ethernet LAN (RJ-45) ports	2
RS-232 interface	Yes
Infrared data port	Yes
Remote (IR) input	1

Design

Product design	Digital signage flat panel
Product colour	Black
Placement supported	Indoor/outdoor
VESA mounting	Yes
Orientation	Horizontal/Vertical
Screen shape	Flat
Panel mounting interface	400 x 400 mm
Bezel width (bottom)	1.99 cm

Bezel width (side)	1.99 cm
Bezel width (top)	1.99 cm
Performance	
Purpose	Universal
HDCP	Yes
HDCP version	2.2
Power	
Power consumption (typical)	450 W
Power consumption (sleep)	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Computer system	
Computer system	Yes
Built-in processor	Yes
Computer system type	System on Chip (SoC)
Operating system installed	Tizen 5.0
Weight & dimensions	
Display width	1253.4 mm
Display depth	54.5 mm
Display height	724.2 mm
Display weight	23.1 kg
Packaging data	
Package width	1420 mm
Package depth	178 mm
Package height	879 mm
Package weight	29.1 kg
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 80%
Certificates	
Certification	Class A 60950-1
Logistics data	
Harmonized System (HS) code	85285210
Network	

Ethernet LAN	Yes
Wi-Fi	Yes
Other features	
Flash memory	8000 MB
RS-232 input ports	1
RS-232 output ports	1
Video out	1
RJ-45 input ports	1
RJ-45 output ports	1
Technical details	
Audio out (mini jack)	1
Matmenys ir svoris	
Matmenys (I × P × A)	142,00cm × 18,00cm × 87,00cm
Svoris	29,10kg