

Samsung S49DG910SU computer monitor 124.5 cm (49") 5120 x 1440 pixels Dual QHD OLED Silver

Gamintojas: **SAMSUNG** · Modelis: **LS49DG910SUXEN** · EAN: **8806095810669** · Prekės kodas: **727220**



909,90 €

Kaina su PVM

Be PVM: **751,98 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 124.5 cm (49") OLED OLED
- ✓ Dual QHD 5120 x 1440 pixels 32:9
- ✓ 144 Hz 0.03 ms 250 cd/m² 1000000:1
- ✓ NVIDIA G-SYNC AMD FreeSync Flicker-free technology
- ✓ G 49 kWh 49 W



Techninė specifikacija

Specifications

Sandėlio grupė Flat Screens [+271][-238]

Display

Display diagonal	124.5 cm (49")
Display resolution	5120 x 1440 pixels
Native aspect ratio	32:9
Display technology	OLED

Touchscreen	No
HD type	Dual QHD
Panel type	OLED
Response time	0.03 ms
Screen shape	Curved
Contrast ratio (typical)	1000000:1
Maximum refresh rate	144 Hz
Display number of colours	1 billion colours
LED backlight	No
Display brightness (typical)	250 cd/m²
Display brightness (min)	200 cd/m²
Response time measurement type	GTG (Gray to Gray)
Screen curvature rating	1800R
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Viewable size, horizontal	119.7 cm
Viewable size, vertical	33.9 cm
Display diagonal (metric)	124 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	DisplayHDR 400 True Black, High Dynamic Range 10+ (HDR10 Plus)
Colour gamut	99%
Quantum dot color technology	Yes
Performance	
NVIDIA G-SYNC	Yes
AMD FreeSync	Yes
NVIDIA G-SYNC type	G-SYNC Compatible
AMD FreeSync type	FreeSync Premium Pro
Flicker-free technology	Yes
Game features	Super Arena Gaming UX
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Built-in microphone	No
Design	
Market positioning	Gaming

Product colour	Silver
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
Number of USB Type-B upstream ports quantity	0
Number of USB Type-C upstream ports quantity	1
USB Type-C downstream ports quantity	2
VGA (D-Sub) ports quantity	0
HDMI ports quantity	1
HDMI version	2.1
Micro HDMI ports quantity	1
DisplayPorts quantity	1
DisplayPort out version	1.4
Mini DisplayPorts quantity	0
HDCP	Yes
HDCP version	2.2
Network	
Wi-Fi	No
Ethernet LAN	No
Ergonomics	
VESA mounting	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Adjustable height (max)	12 cm
Tilt adjustment	Yes
Tilt angle range	-2 - 15°
Picture-in-Picture	Yes
On Screen Display (OSD)	No
Power	
Energy efficiency class (SDR)	G
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	49 kWh
Energy consumption (HDR) per 1000 hours	54 kWh

Power consumption (typical)	49 W
Power consumption (standby)	0.5 W
Power consumption (max)	220 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	External
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 80%
Weight & dimensions	
Width (with stand)	1194.7 mm
Depth (with stand)	284.1 mm
Height (with stand)	529.3 mm
Weight (with stand)	12.9 kg
Width (without stand)	1194.7 mm
Depth (without stand)	180.8 mm
Height (without stand)	365 mm
Weight (without stand)	9.2 kg
Packaging data	
Stand type	HAS stand
Package width	1352 mm
Package depth	474 mm
Package height	240 mm
Package weight	18.5 kg
Packaging content	
Cables included	DisplayPort, Power
Power cable length	1.5 m
Other features	
Brand specific technologies	Black Equalizer
Picture-by-Picture (PbP)	Yes
Digital signal format system	Not supported
Samsung Eye Saver Mode	Yes
Warranty period	2 year(s)

Auto source switch+	Yes
Image size	Y
Factory tuning	Yes
Off Timer Plus	Yes
Virtual AIM point	Yes
Matmenys ir svoris	
Matmenys (l × P × A)	136,00cm × 23,00cm × 48,00cm
Svoris	18,50kg