

Samsung S65TC computer monitor 86.4 cm (34") 3440 x 1440 pixels UltraWide Quad HD LED White

Gamintojas: **SAMSUNG** · Modelis: **LS34C650TAUXEN** · EAN: **8806095207834** · Prekės kodas: **727234**



419,89 €

Kaina su PVM

Be PVM: **347,02 €**

[Sandėlyje](#)




Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 86.4 cm (34") LED VA
- ✓ UltraWide Quad HD 3440 x 1440 pixels 21:9
- ✓ 100 Hz 5 ms 350 cd/m² 3000:1
- ✓ AMD FreeSync Flicker-free technology
- ✓ G 32 kWh 200 W



Techninė specifikacija

Specifications

Sandėlio grupė Flat Screens [+271][-238]

Display

Display diagonal	86.4 cm (34")
Display resolution	3440 x 1440 pixels
Native aspect ratio	21:9
Display technology	LED

Touchscreen	No
HD type	UltraWide Quad HD
Panel type	VA
Response time	5 ms
Screen shape	Curved
Contrast ratio (typical)	3000:1
Maximum refresh rate	100 Hz
Display number of colours	1.07 billion colours
Display brightness (typical)	350 cd/m²
Display brightness (min)	280 cd/m²
Screen curvature rating	1000R
Dynamic contrast ratio marketing name	Mega Infinity DCR
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Viewable size, horizontal	79.7 cm
Viewable size, vertical	33.4 cm
Display diagonal (metric)	86 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
sRGB coverage (typical)	115%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	Yes
AMD FreeSync type	FreeSync
Flicker-free technology	Yes
Smart modes	Custom, Eco, FPS, Game, Graphics, RPG, RTS, Sports
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
RMS rated power	5 W
Design	
Market positioning	Professional
Product colour	White
Feet colour	White

Ports & interfaces

Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
Number of USB Type-B upstream ports quantity	1
USB Type-A downstream ports quantity	3
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	90 W
HDMI ports quantity	1
HDMI version	2
DisplayPorts quantity	1
DisplayPort version	1.2
Thunderbolt 4 ports quantity	2
Built-in KVM switch	Yes
HDCP	Yes
HDCP version	2.2

Network

Wi-Fi	No
Bluetooth	No

Ergonomics

VESA mounting	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Adjustable height (max)	12 cm
Swivelling	Yes
Swivel angle range	-30 - 30°
Tilt angle range	-2 - 20°
Picture-in-Picture	Yes

Power

Energy efficiency class (SDR)	G
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	32 kWh
Energy consumption (HDR) per 1000 hours	52 kWh

Power consumption (typical)	200 W
Power consumption (standby)	0.5 W
Power consumption (average)	47 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	10 - 40 °C
Operating relative humidity (H-H)	10 - 80%
Weight & dimensions	
Width (with stand)	806.6 mm
Depth (with stand)	241 mm
Height (with stand)	561.5 mm
Weight (with stand)	8.1 kg
Width (without stand)	806.6 mm
Depth (without stand)	125 mm
Height (without stand)	369.4 mm
Weight (without stand)	5.3 kg
Packaging data	
Stand type	HAS stand
Package width	807 mm
Package depth	367 mm
Package height	125 mm
Package weight	10.5 kg
Package type	Box
Packaging content	
Stand included	Yes
Cables included	HDMI, Thunderbolt, USB Type-A to USB Type-B
Power cable length	1.5 m
Sustainability	
Sustainability certificates	ENERGY STAR, Post-Consumer Recycled Plastic, TCO
Other features	

Brand specific technologies	Eye Saver
Picture-by-Picture (PbP)	Yes
Samsung Eye Saver Mode	Yes
Daisy chain	Yes
Adaptive picture	Yes
Image size	Y
Off Timer Plus	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	90,00cm × 47,00cm × 20,00cm
Svoris	10,77kg