InLine 17180F vaizdo kabelio adapteris 50 m DisplayPort HDMI Juoda

Gamintojas: **INLINE** · Modelis: **17180F** · EAN: **4043718303977** · Prekės kodas: **728496**



217,90 €

Kaina su PVM

Be PVM: **180,08 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 50 m
- ✓ DisplayPort Tiesus Kištukinis
- ✓ HDMI Tiesus Kištukinis
- ✓ 4096 x 2160 pikseliai 18 Gbit/s
- ✓ Juoda
- ✓ 1 vnt







Aprašymas

Optical signal transmission for long distances: Integrated AOC technology combines fiber optics and copper for loss-free transmission even over long distances.
Compatibility with professional standards: Supports DisplayPort 1.2 on HDMI 2.0b with 4K at 60Hz and full 4:4:4 color support – ideal for professional AV installations.
Robust construction for continuous use: Metal plug with lock, gold-plated contacts, and durable PVC jacket ensure long-term reliability.
No external power supply required: The plug-and-play design requires no additional drivers or power supplies – ideal for quick start-up.
Network integration included: Integrated HDMI Ethernet channel enables network data transmission at up to 100 Mb/s.

The InLine® DisplayPort to HDMI AOC converter cable is the ideal solution for professional applications where long distances need to be bridged without signal loss. The combination of optical fiber technology (OM3 multimode) and copper wires enables loss-free transmission of high-resolution 4K signals at 60Hz – even over long distances. Thanks to active conversion from DisplayPort 1.2 to HDMI 2.0b, the cable is ideal for modern AV

infrastructures, control rooms, conference rooms, and demanding industrial applications.
The high-quality connectors with metal housing and gold-plated contacts guarantee a durable and interference-free connection. The DisplayPort connector lock provides additional security during installation. An integrated HDMI Ethernet channel ensures the transmission of network data at up to 100 Mb/s, enabling even complex signal chains to be implemented. The cable is fully plug-and-play capable and requires neither drivers nor an external power supply – ideal for quick and easy implementation in professional environments.

Connector type: DisplayPort connector with lock on HDMI A connector
Hybrid cable: Active optical cable (AOC)
Resolution: Up to 4096×2160@60Hz / 4:4:4
Bandwidth: Up to 18 Gb/s
Supported functions: HDCP2.2, EDID, ARC, CEC, 3D
HDR: Not supported
Conductor structure: 4 OM3 fiber optic cores + 7 copper cores
Cable diameter: 5.2 mm
Bending radius: > 20 mm
Operating temperature: 0°C to +50°C
Storage temperature: -20°C to +70°C

Techninė specifikacija

Savybės	
Kabelio ilgis	50 m
Jungtis 1	DisplayPort
Jungtis 2	HDMI
1 jungtis – vidinė ar išorinė	Kištukinis
2 jungtis – vidinė ar išorinė	Kištukinis
1 jungties forma	Tiesus
2 jungties forma	Tiesus
HDMI versija	2.0b
HDCP	Taip
HDCP versija	2.2
„DisplayPort“ versija	1.2
Maksimali rezoliucija	4096 x 2160 pikseliai
Duomenų perdavimo sparta	18 Gbit/s
Atnaujinimo dažnis, esant maksimaliai rezoliucijai	60 Hz
3D	Taip
Lenkimo spindulys (maž.)	2 cm
Produkto spalva	Juoda
Dangos medžiaga	Polivinilo chloridas (PVC)
Jungties medžiaga	Auksas
Garso grąžinimo kanalas (ARC)	Taip

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

„Plug and Play“ funkcija	Taip
Aplinkos sąlygos	
Darbo temperatūros diapazonas (TT)	0 - 50 °C
Sandėliavimo temperatūros norma (T-T)	-20 - 70 °C
Svoris ir matmenys	
Kabelio skersmuo	5,2 mm
Svoris	1,32 kg
Plotis	20 mm
Ilgis	50000 mm
Aukštis	13 mm
Pakuotės duomenys	
Pakuotės plotis	240 mm
Pakuotės gylis	257 mm
Pakuotės aukštis	75 mm
Paketo svoris	1,46 kg
Pakuotės tipas	„Box“
Pakuotės tūris	4700 cm³
Pakuotės turinys	
Kiekis pakuotėje	1 vnt
Kitos savybės	
Matmenys (WxDxH)	20 x 50000 x 13 mm

Gamintojo ir saugos informacija

GAMINTOJAS

InLine

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt