

CLUB3D Mini DisplayPort 1.4 to HDMI 2.0b HDR Active Adapter

Gamintojas: **CLUB 3D** · Modelis: **CAC-1180** · EAN: **8719214470869** · Prekės kodas: **730404**



44,90 €

Kaina su PVM

Be PVM: **37,11 €**

Sandėlyje



Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Converts your Mini DisplayPort 1.4 output to HDMI 2.0b
- ✓ Supports resolutions up to 4096 x 2160p @ 60Hz
- ✓ Supports HDR



Aprašymas

CAC-1180 - The Club3D Mini DisplayPort™ 1.4 to HDMI™ 2.0b signal converter. It features support for HDR Video quality for deep color media content playback. The Mini DisplayPort™ receiver supports up to 5,4 Gbps per lane over 4 lanes. The HDMI™ output is fully compliant to HDMI™ specification version 2.0b.

Resolution Support

The CAC-1180 supports UHD resolutions up to 4096 x 2160p at 60Hz.

Color Formats

It supports RGB/YCbCr video color formats with a color depth of 16bpc (or 48 bits per pixel) as long as it fits within the Mini DisplayPort™ and HDMI™ link bandwidth. The CAC-1180 also supports pixel encoding conversion from RGB or YCbCr 4:4:4 to YCbCr 4:2:0 and YCbCr 4:2:0 pass-through function. In addition HDR with deep color up to 12Bpc at 4K 60Hz is supported through the conversion of RGB/YCbCr 4:4:4 over DP link to YCbCr 4:2:0 on the HDMI™ output with a horizontal expansion to CEA timings.

Note: For HDR to function, the source system needs to support DisplayPort™ 1.4 and the screen needs to have support for HDR and/or HDMI™ 2.0 a or b

Techninė specifikacija

Specifications	
Sandėlio grupė	Desktop > Video Cables & Adapters [+2032][-276]
Features	
Connector 1	Mini DisplayPort
Connector 2	HDMI
Connector 1 gender	Male
Connector 2 gender	Female
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Copper
HDMI version	2.0b
DisplayPort version	1.4
Maximum resolution	4096 x 2160 pixels
Supported graphics resolutions	4096 x 2160
Supported video modes	2160p
Data transfer rate	18 Gbit/s
Maximum refresh rate	60 Hz
Product colour	Black
Colour sampling	4:2:2, 4:4:4, 4:2:0
Plug and Play	Yes
Converter type	Active video converter
Country of origin	China
Certificates	
Compliance certificates	RoHS
Certification	ROHS, FCC, CE EMI, WEEE
Packaging composition	
Plastic packaging weight	2 g
Paper/cardboard packaging weight	20 g
Total plastic packaging weight	0 g
Total paper/cardboard packaging weight	0 g
Weight & dimensions	
Weight	30 g
Width	20 mm

Depth	11 mm
Height	168.6 mm
Packaging data	
Package width	60 mm
Package depth	35 mm
Package height	182 mm
Package weight	10 g
Packaging content	
Quantity per pack	1 pc(s)
Logistics data	
Harmonized System (HS) code	85444290
Products per master (outer) case	10 pc(s)
Other features	
Cable colour	Black
Matmenys ir svoris	
Matmenys (I × P × A)	22,00cm × 6,00cm × 4,00cm