

CLUB3D Mini DisplayPort 1.2 to HDMI 2.0 UHD Active Adapter

Gamintojas: **CLUB 3D** · Modelis: **CAC-2170** · EAN: **8719214470982** · Prekės kodas: **730438**



32,90 €

Kaina su PVM

Be PVM: **27,19 €**

Sandėlyje



Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Converts your Mini Displayport 1.2 output into a HDMI 2.0 output
- ✓ Supports resolutions up to 3840 x 2160 at 60Hz
- ✓ Compliant to HDMI™ 2.0 Specification, 18Gbps



Aprašymas

CAC-2170 - The Club 3D is an active HDMI™ 2.0 signal converter. The Mini DisplayPort™ 1.2 to HDMI™ 2.0 UHD Active Adapter is the easiest solution for connecting your Mini DisplayPort™ 1.2 Game PC or Laptop to an HDMI™ enabled 4K UHD Television, monitor or Projector. The adapter is compliant to HDMI™ 2.0 specification allowing for 6Gbps TMD Sthroughput per channel. The interface in the adapter has three lanes for HDMI™ data, clock, HPD signal and power, offering a total TMDS throughput of 18Gbps.

Supports up to 4K UHD Resolution at 60Hz.

The Mini DisplayPort™ 1.2 to HDMI™ 2.0 UHD Active Adapter supports UHD resolutions of up to 4K UHD 4096x 2160p @ 60Hz for a clear, sharp picture. The support for 60 frames per second provides exceptionally smooth video or gameplay. Use the adapter to play games, view video or browse the internet from your MiniDisplayPort™ 1.2 enabled device in Ultra High Resolution. Supporting up to 8 channels of audio, the adapter provides Ultra High Definition digital audio and video. It is the ideal solution for anyone who wants to enjoy 4K UHD/ 60 gameplay but lacks a native HDMI™ 2.0 output in their system configuration.

Techninė specifikacija

Specifications	
Sandėlio grupė	Desktop > Video Cables & Adapters [+2032][-276]
Features	
Cable length	0.15 m
Connector 1	Mini DisplayPort
Connector 2	HDMI Type A (Standard)
Connector 1 gender	Male
Connector 2 gender	Female
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Copper
HDMI version	2
HDCP	Yes
HDCP version	2.2
DisplayPort version	1.2
Maximum resolution	4096 x 2160 pixels
Supported graphics resolutions	3840 x 2160, 4096 x 2160
Supported video modes	2160p
Data transfer rate	18 Gbit/s
Maximum refresh rate	60 Hz
Product colour	Black
Colour sampling	4:2:2, 4:4:4, 4:2:0
Plug and Play	Yes
Country of origin	China
Certificates	
Compliance certificates	RoHS
Certification	Meets ROHS, FCC, and CE EMI requirements
Packaging composition	
Plastic packaging weight	11 g
Paper/cardboard packaging weight	0 g
Total plastic packaging weight	0 g
Total paper/cardboard packaging weight	0 g
Weight & dimensions	

Weight	25 g
Width	150 mm

Packaging data

Package width	160 mm
Package depth	15 mm
Package height	240 mm
Package weight	33 g
Package type	Polybag

Packaging content

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	85444290
Products per master (outer) case	10 pc(s)

Matmenys ir svoris

Matmenys (l × P × A)	24,00cm × 16,00cm × 2,00cm
----------------------	----------------------------