

Techly IDATA EXT-E71 AV extender AV transmitter & receiver Black

Gamintojas: **TECHLY** · Modelis: **IDATA-EXT-E71** · EAN: **8051128104301** · Prekės kodas: **731551**



181,90 €

Kaina su PVM

Be PVM: **150,33 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Allows you to easily extend the HDMI signal using Cat. 5e / 6 cables to extend transmission distances
- ✓ Real Time transmission makes the reproduction in real time unique without delay and compression that degrade the viewing experience
- ✓ Allows long distance transmission distances of 120 meters using a single network cable for real-time video transmission
- ✓ Compatible with Cat.5e / 6 cables it allows to easily manage different types of wiring according to the installation needs
- ✓ Thanks to the IR pass-back function, you can easily remotely control the signal source from the receiver's position
- ✓ Supports video bandwidth up to 10.2Gbps
- ✓ Compliance with the HDCP standard ensures protection in the transmission of high-definition content and ensures quality reception
- ✓ Simple to install, no configuration is required
- ✓ Suitable for videoconferencing systems, training areas, monitoring applications and multimedia and entertainment applications
- ✓ Plug and play, no installation required



Techninė specifikacija

Specifications

Sandėlio grupė	Desktop > Video Cables & Adapters [+2032][-276]
Features	
Type	AV transmitter & receiver
Maximum resolution	1920 x 1080 pixels
Cable types supported	Cat5, Cat5e, Cat6
Maximum transfer distance	120 m
Maximum refresh rate	60 Hz
Audio system	stereo
IR pass-through	Yes
LED indicators	Yes
Supported graphics resolutions	640 x 480 (VGA), 720 x 480, 720 x 576, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800 (WXGA), 1440 x 900 (WXGA+), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080)
HDCP	Yes
Material	Aluminium
Transition Minimized Differential Signaling (TMDS) input	1.5 V
HDCP version	1.4
Product colour	Black
Certification	CE, RoHS
Ports & interfaces	
Connectivity technology	Wired
Ethernet LAN	Yes
RJ-45 input ports	1
RJ-45 output ports	1
HDMI in	1
Number of HDMI outputs	1
HDMI version	1.3
Remote (IR) input	1
DC-in jack	Yes
Power	
Operating voltage	5 V
Output current	1 A
Power consumption (transmitter) (max)	2 W
Power consumption (receiver) (max)	2 W
Operational conditions	

Operating temperature (T-T)	0 - 60 °C
Storage temperature (T-T)	-10 - 70 °C
Operating relative humidity (H-H)	0 - 90%
Weight & dimensions	
Width	69.6 mm
Depth	58.8 mm
Height	16.1 mm
Weight	413 g
Receiver dimensions (WxDxH)	69.57 x 58.8 x 16.1 mm
Receiver weight	70 g
Transmitter dimensions (WxDxH)	69.57 x 58.8 x 16.1 mm
Transmitter weight	70 g
Packaging content	
AC adapter included	Yes
Manual	Yes
IR blaster included	Yes
IR receiver included	Yes
Technical details	
Compliance certificates	CE, RoHS
Audio support	Yes
Supplier features	
Vendor code	104301