

LevelOne 24V DC Industrial Power Supply, 480W, DIN-Rail,-20 ~ +70 °C

Gamintojas: **LEVELONE** · Modelis: **POW-2462** · EAN: **4015867236581** · Prekės kodas: **732023**



283,90 €

Kaina su PVM

Be PVM: **234,63 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Universal AC Input at Full Range
- ✓ Short Circuit, Overload / Over Voltage Protection
- ✓ Fanless Design Supports
- ✓ DIN-rail installation
- ✓ 102% Full Load
- ✓ Burn-in Test DC OK Relay Contact

Aprašymas

The POW-2462 should be able to accept a wide range of input voltages, typically from 90V AC to 264V AC, allowing it to operate in various industrial environments.

DIN-rail Mounting to fit standard DIN-rail mounting systems commonly used in industrial cabinets, allowing for easy installation and space-saving.

It's essential for the power supply to have high energy efficiency, reducing power losses and operating costs while minimizing heat generation.

Techninė specifikacija

Specifications

Sandėlio grupė

Komponenten & Zubehör > AC Adapter/Netzteile [+1981][+847]

Power

Total power

480 W

AC input voltage

90 - 264 V

AC input frequency	47 - 63 Hz
Input current	4.8 A
Hold time	16 ms
Power protection features	Overload, Over voltage, Short circuit
Performance	
Mean time between failures (MTBF)	1041600 h
Design	
Product colour	Blue, Silver
Number of fans	0 fan(s)
Operational conditions	
Operating temperature (T-T)	-20 - 70 °C
Storage temperature (T-T)	-40 - 85 °C
Operating relative humidity (H-H)	10 - 95%
Storage relative humidity (H-H)	10 - 95%
Safety regulation & standards	
Safety	EN 55032 (CISPR32) Class A EN 61000-3-2,-3,EACTPTC020,CNS13438 Class A EN 61000-4-2,3,4,5,6,8,11 EN 61204-3 EN 55035 EN 61000-6-2 (EN 50082-2)
Weight & dimensions	
Width	85.5 mm
Depth	128.5 mm
Height	125.2 mm
Weight	1.42 kg
Packaging data	
Package width	122 mm
Package depth	171 mm
Package height	150 mm
Package weight	1.5 kg
Package type	Box
Logistics data	
Master (outer) cases per pallet	20 pc(s)
Master (outer) case width	266 mm
Master (outer) case length	361 mm
Master (outer) case height	323 mm
Master (outer) case gross weight	11.4 kg

Harmonized System (HS) code	8504403090
-----------------------------	------------

Country of origin	China
-------------------	-------

Other features

Voltage tolerance	1%
-------------------	----

Output voltage note	24
---------------------	----