

Vivolink Pro, HDMI 2.1, 8K, 120Hz, 48 Gb/s, 0.5m, black

Gamintojas: **VIVOLINK** · Modelis: **PROHDMIFUHD0.5** · EAN: **5706998900548** · Prekės kodas: **732138**



18,90 €

Kaina su PVM

Be PVM: **15,62 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ HDMI 2.1 8K60Hz, 48Gbps
- ✓ Ultra high speed HDMI cable
- ✓ High Frame Rate (HFR)
- ✓ Auto Low Latency Mode (ALLM)
- ✓ Enhanced Audio Return Channel (eARC)
- ✓ Quick Frame Transport (QFT)
- ✓ Quick Media Switching (QMS)
- ✓ Variable Refresh Rate (VRR)
- ✓ Backwards compatible
- ✓ Supports uncompressed HDMI 2.1 feature



Aprašymas

Ultra High-Speed 8K@60Hz 48Gbit HDMI 2.1 Cable with Dynamic HDR and enhanced Audio Return Channel (eARC).

Supports resolutions up to 10K and refresh rates up to 120Hz.

This cable is backwards compatible which is important in installation upgrades.

Techninė specifikacija

Specifications

Sandėlio grupė

Desktop > Video Cables & Adapters [+2032][-276]

Features

Cable length	0.5 m
Connector 1	HDMI Type A (Standard)
Connector 2	HDMI Type A (Standard)
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector contacts plating	Gold
Connector 1 form factor	Straight
Connector 2 form factor	Straight
HDMI version	2.1
3D	Yes
Supported graphics resolutions	1280 x 720 (HD 720)
Supported video modes	720p
Dolby technologies	DTS-HD Master Audio
Audio Return Channel (ARC)	Yes
HDMI Ethernet channel	Yes
HDCP	Yes
HDCP version	2.2
Data transfer rate	48 Gbit/s
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
Maximum resolution	7680 x 4320 pixels
Maximum refresh rate	120 Hz
AWG wire size	30
Cable material	Copper
Cable jacket material	Polyvinyl chloride (PVC)
Colour depth	16 bit
Plug and Play	Yes

Operational conditions

Operating temperature (T-T)	-20 - 60 °C
-----------------------------	-------------

Certificates

Compliance certificates	RoHS
-------------------------	------

Weight & dimensions	
Cable diameter	7.3 mm
Weight	54 g
Packaging data	
Quantity per pack	1 pc(s)
Package width	191 mm
Package depth	183 mm
Package height	22 mm
Package weight	100 g
Other features	
Depth	20 mm
Height	15 mm
Width	500 mm
Logistics data	
Harmonized System (HS) code	84733080