

Vivolink Pro, HDMI 2.1, 8K, 120Hz, 48 Gb/s, 1m, black

Gamintojas: **VIVOLINK** · Modelis: **PROHDMIFUHD1** · EAN: **5706998900562** · Prekės kodas: **732139**



27,90 €

Kaina su PVM

Be PVM: **23,06 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ HDMI 2.1 8K60Hz, 48Gbps
- ✓ Ultra high speed HDMI cable
- ✓ High Frame Rate (HFR)
- ✓ Auto Low Latency Mode (ALLM)
- ✓ Enhanced Audio Return Channel (eARC)
- ✓ Quick Frame Transport (QFT)
- ✓ Quick Media Switching (QMS)
- ✓ Variable Refresh Rate (VRR)
- ✓ Backwards compatible
- ✓ Supports uncompressed HDMI 2.1 feature



Aprašymas

Ultra High-Speed 8K@60Hz 48Gbit HDMI 2.1 Cable with Dynamic HDR and enhanced Audio Return Channel (eARC).

Supports resolutions up to 10K and refresh rates up to 120Hz.

This cable is backwards compatible which is important in installation upgrades.

Techninė specifikacija

Specifications

Sandėlio grupė	Desktop > Video Cables & Adapters [+2032][-276]
Features	
Cable length	1 m
Connector 1	HDMI Type A (Standard)
Connector 2	HDMI Type A (Standard)
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector contacts plating	Gold
Connector 1 form factor	Straight
Connector 2 form factor	Straight
HDMI version	2.1
3D	Yes
Supported graphics resolutions	1280 x 720 (HD 720)
Supported video modes	720p
Dolby technologies	DTS-HD Master Audio
Pull-resistant connector(s)	No
Pull-off force	1 kg
Audio Return Channel (ARC)	Yes
HDMI Ethernet channel	Yes
HDCP	Yes
HDCP version	2.2
RGB support	4:4:4
Data transfer rate	48 Gbit/s
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
Maximum resolution	7680 x 4320 pixels
Maximum refresh rate	120 Hz
AWG wire size	30
Cable material	Copper
Cable jacket material	Polyvinyl chloride (PVC)
Cable shielding	Aluminum mylar foil
Colour depth	16 bit
Plug and Play	Yes
Operational conditions	

Operating temperature (T-T)	-20 - 60 °C
-----------------------------	-------------

Certificates

Compliance certificates	RoHS
-------------------------	------

Weight & dimensions

Cable diameter	7.3 mm
----------------	--------

Weight	84 g
--------	------

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Package width	188 mm
---------------	--------

Package depth	186 mm
---------------	--------

Package height	28 mm
----------------	-------

Package weight	100 g
----------------	-------

Other features

Depth	20 mm
-------	-------

Height	15 mm
--------	-------

Width	1000 mm
-------	---------

Cable colour	Black
--------------	-------

Logistics data

Quantity per box	70 pc(s)
------------------	----------

Harmonized System (HS) code	84733080
-----------------------------	----------

Master (outer) case width	38.5 mm
---------------------------	---------

Master (outer) case height	26 mm
----------------------------	-------