

Vivolink Pro, HDMI 2.1, 8K, 120Hz, 48 Gb/s, 3m, black

Gamintojas: **VIVOLINK** · Modelis: **PROHDMIFUHD3** · EAN: **5706998900630** · Prekės kodas: **732141**



34,90 €

Kaina su PVM

Be PVM: **28,84 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ HDMI 2.1 8K60Hz, 48Gbps
- ✓ Ultra high speed HDMI cable
- ✓ High Frame Rate (HFR)
- ✓ Auto Low Latency Mode (ALLM)
- ✓ Enhanced Audio Return Channel (eARC)
- ✓ Quick Frame Transport (QFT)
- ✓ Quick Media Switching (QMS)
- ✓ Variable Refresh Rate (VRR)
- ✓ Backwards compatible
- ✓ Supports uncompressed HDMI 2.1 feature



Aprašymas

Ultra High-Speed 8K@60Hz 48Gbit HDMI 2.1 Cable with Dynamic HDR and enhanced Audio Return Channel (eARC).

Supports resolutions up to 10K and refresh rates up to 120Hz.

This cable is backwards compatible which is important in installation upgrades.

Techninė specifikacija

Specifications

Sandėlio grupė	Desktop > Video Cables & Adapters [+2032][-276]
Features	
Cable length	3 m
Connector 1	HDMI Type A (Standard)
Connector 2	HDMI Type A (Standard)
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector contacts plating	Gold
Connector 1 form factor	Straight
Connector 2 form factor	Straight
HDMI version	2.1
3D	Yes
Supported graphics resolutions	1280 x 720 (HD 720)
Supported video modes	720p
Dolby technologies	DTS-HD Master Audio
Audio Return Channel (ARC)	Yes
HDMI Ethernet channel	Yes
HDCP	Yes
HDCP version	2.2
Data transfer rate	48 Gbit/s
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
Maximum resolution	7680 x 4320 pixels
Maximum refresh rate	120 Hz
AWG wire size	30
Cable material	Copper
Cable jacket material	Polyvinyl chloride (PVC)
Colour depth	16 bit
Plug and Play	Yes
Operational conditions	
Operating temperature (T-T)	-20 - 60 °C
Certificates	
Compliance certificates	RoHS

Weight & dimensions	
Cable diameter	7.3 mm
Weight	205 g
Packaging data	
Quantity per pack	1 pc(s)
Package width	211 mm
Package depth	192 mm
Package height	44 mm
Package weight	206 g
Other features	
Depth	20 mm
Height	15 mm
Width	3000 mm
Logistics data	
Harmonized System (HS) code	84733080