

ATEN UH3233 Wired USB 3.2 Gen 1 (3.1 Gen 1) Type-C Black

Gamintojas: **ATEN** · Modelis: **UH3233** · EAN: **4719264646010** · Prekės kodas: **732588**



87,89 €

Kaina su PVM

Be PVM: **72,64 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Connects USB-C or Thunderbolt™ 3 computer to two HDMI monitors for dual-display video output
- ✓ Supports 4K (UHD) resolutions via single display output
- ✓ Supports dual-display video output up to 1920 x 1080 simultaneously
- ✓ Plug and Play – no drivers or external power adapter needed



Aprašymas

The ATEN UH3233 is a USB-C Dual-HDMI Mini Dock which transforms your USB-C device to a dual monitor workstation. It's compliant with the latest USB 3.2 Type-C specifications and supports dual display mode. The UH3233 can route video from the source device to two HDMI monitors, splitting the video transmission for a dual-view display via a single cable while maintaining a high quality resolution up to 1080p.

The UH3233 uses USB-C connections to deliver reliable highspeed data transfers. You can connect up to 128 additional peripherals, including Dual HDMI and USB 3.2 Gen1 devices. The UH3233's slim and light design makes it ideal to maximize your workspace and travel with for business on the go.

Techninė specifikacija

Specifications

Sandėlio grupė

Desktop > Video Cables & Adapters [+2032][-276]

Ports & interfaces

Connectivity technology	Wired
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 2.0 ports quantity	0
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
HDMI ports quantity	2
Microphone in	No
Headphone outputs	0
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1

Network

Ethernet LAN	No
--------------	----

Performance

Product colour	Black
Card reader integrated	No
HD type	4K Ultra HD
Maximum digital resolution	3840 x 2160 pixels
Number of displays supported	2
LED indicators	Yes
Plug and Play	Yes
Housing material	Plastic
Compatibility	UH3231, UH3230, UH3232, UH7230, CS1842, CS1844

Power

Power source type	USB
Power connector	USB Type-C

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 80%

Weight & dimensions

Width	93.7 mm
Depth	93 mm
Height	26.8 mm
Weight	100 g

Packaging data

Quantity per pack	1 pc(s)
Package width	55 mm
Package depth	155 mm
Package height	185 mm

Packaging content

Cables included	USB Type-C
Quick start guide	Yes
Manual	Yes

Logistics data

Master (outer) case width	297 mm
Master (outer) case length	385 mm
Master (outer) case height	33 mm
Master (outer) case gross weight	5.9 kg
Master (outer) case net weight	2.8 kg
Harmonized System (HS) code	84733020