

# ATEN True 4K HDMI Booster with 4K2K @60Hz (4;4;4), up to 40m (Cascade)

Gamintojas: **ATEN** · Modelis: **VB800-AT-G** · EAN: **4719264645396** · Prekės kodas: **732631**



## 154,90 €

Kaina su PVM

Be PVM: **128,02 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ 4K resolution when cascaded up to 10 levels Input/output max distance for single unit: True 4k resolution up to a distance of 10 meters; 1080p resolution up to a distance of 20 meters\*
- ✓ Superior video quality- True 4k resolutions of 4k x 2k @ 60 Hz (4:4:4) video and standard 1080p (1920 x 1080 @ 60 Hz)
- ✓ Supports HDR10+
- ✓ HDMI and HDCP 2.2 compatible



## Aprašymas

The VB800 is a true 4K HDMI booster providing a solution for long distance transmission. The HDMI booster reliably extends true 4K signals and can be cascaded up to 10 levels, guaranteeing ultimate color and image quality. The VB800 is HDMI 2.0 compliant and supports all HDMI enabled devices. The booster can be rack mounted, offering excellent flexibility for managing both work and home settings.

1x VB800 True 4k HDMI Booster  
1x 0AD6-1F05-26EG Power Adapter  
1x Rack Mount Kit  
1x User Instructions

## Techninė specifikacija

| Specifications                    |                                                 |
|-----------------------------------|-------------------------------------------------|
| Sandėlio grupė                    | Desktop > Video Cables & Adapters [+2032][-276] |
| Features                          |                                                 |
| Type                              | AV transmitter & receiver                       |
| Maximum transfer distance         | 20 m                                            |
| Supported graphics resolutions    | 1920 x 1080 (HD 1080)                           |
| Bandwidth                         | 18 Gbit/s                                       |
| Bandwidth                         | 600 MHz                                         |
| HDCP                              | Yes                                             |
| Material                          | Metal                                           |
| Plug and Play                     | Yes                                             |
| Product colour                    | Black                                           |
| Ports & interfaces                |                                                 |
| Connectivity technology           | Wired                                           |
| HDMI in                           | 1                                               |
| Number of HDMI outputs            | 1                                               |
| DC-in jack                        | Yes                                             |
| Power                             |                                                 |
| Power consumption (typical)       | 0.99 W                                          |
| Operational conditions            |                                                 |
| Operating temperature (T-T)       | 0 - 40 °C                                       |
| Storage temperature (T-T)         | -20 - 60 °C                                     |
| Operating relative humidity (H-H) | 0 - 80%                                         |
| Weight & dimensions               |                                                 |
| Width                             | 56 mm                                           |
| Depth                             | 49 mm                                           |
| Height                            | 17 mm                                           |
| Weight                            | 290 g                                           |
| Packaging data                    |                                                 |
| Package width                     | 59 mm                                           |
| Package depth                     | 119 mm                                          |
| Package height                    | 160 mm                                          |
| Package weight                    | 300 g                                           |

**Packaging content**

|                 |    |
|-----------------|----|
| Cables included | AC |
|-----------------|----|

**Logistics data**

|                           |        |
|---------------------------|--------|
| Master (outer) case width | 250 mm |
|---------------------------|--------|

|                            |        |
|----------------------------|--------|
| Master (outer) case length | 325 mm |
|----------------------------|--------|

|                            |        |
|----------------------------|--------|
| Master (outer) case height | 175 mm |
|----------------------------|--------|

|                                  |         |
|----------------------------------|---------|
| Master (outer) case gross weight | 3.56 kg |
|----------------------------------|---------|

|                                |        |
|--------------------------------|--------|
| Master (outer) case net weight | 2.9 kg |
|--------------------------------|--------|

|                                  |          |
|----------------------------------|----------|
| Products per master (outer) case | 10 pc(s) |
|----------------------------------|----------|