

Vivolink VLHDMISP1X4 video splitter HDMI 4x HDMI

Gamintojas: **VIVOLINK** · Modelis: **VLHDMISP1X4** · EAN: **5706998523365** · Prekės kodas: **732671**



158,90 €

Kaina su PVM

Be PVM: **131,32 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ HDMI 2.0 1x4 Splitter with 4K to 1080P Down-scaling
- ✓ 18Gbps high bandwidth
- ✓ Built-in equalizer for signal enhancement



Aprašymas

The VLHDMISP1X4 is a high-performance 1x4 HDMI splitter designed to distribute a single HDMI input to four outputs simultaneously. It supports video resolutions up to 4K@60Hz with 4:4:4 chroma subsampling, HDR10, and Dolby Vision, ensuring exceptional video quality. Key features include advanced EDID management with multiple built-in settings selectable via a 4-pin DIP switch, video resolution down-scaling allowing 4K input to be automatically degraded to 1080p output for compatibility with 1080p displays, and support for CEC pass-through. The splitter also provides LEDs to indicate the current operating status and supports convenient firmware upgrades through a Micro-USB port.

Typical Applications:

Perfect for distributing HDMI signals in retail stores or at trade shows.

Techninė specifikacija

Specifications

Sandėlio grupė

Desktop > Video Cables & Adapters [+2032][-276]

Ports & interfaces

Video ports quantity	4
Video port type	HDMI
Video out	4x HDMI
HDMI version	1.4/2.0
DC-in jack	Yes

Features

Maximum resolution	3840 x 2160 pixels
Product colour	Black
Housing material	Metal
HD type	4K Ultra HD
3D	Yes
Maximum refresh rate	60 Hz
HDCP	Yes
Easy to install	Yes
Power LED	Yes
Plug and Play	Yes
Supported video modes	3840p
LED indicators	Yes
Number of displays supported	4

Network

Ethernet LAN	No
--------------	----

Power

AC input voltage	110 - 230 V
Power consumption (typical)	2.5 W

Weight & dimensions

Width	142 mm
Depth	70.4 mm
Height	17.6 mm
Dimensions (WxDxH)	142 x 70.6 x 17.6 mm
Weight	360 g

Packaging data

Package width	180 mm
Package depth	121 mm

Package height	114 mm
Package weight	464 g
Packaging content	
User guide	Yes
AC adapter included	Yes
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Technical details	
Connector type	HDMI
Maximum cable length	100 m
Cascadable	Yes