

CoreParts MBA1240 power adapter/inverter Indoor 30 W Black

Gamintojas: **COREPARTS** · Modelis: **MBA1240** · EAN: **5704327683445** · Prekės kodas: **732932**



21,90 €

Kaina su PVM

Be PVM: **18,10 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ High Quality
- ✓ Tested and certified
- ✓ Matching Performance
- ✓ Reliable with 18 month Warranty

Aprašymas

In CoreParts you will find a range of adapters that match the performance of your original adapter with different capacities and manufactured by High-end, certified and trusted suppliers.

Techninė specifikacija

Specifications	
Sandėlio grupė	Komponenten & Zubehör > AC Adapter/Netzteile [+1981][+847]
Features	
Power supply type	Indoor
Input voltage	110-230 V
Input frequency	50 - 60 Hz
Output power	30 W
Output voltage	19 V
Power current type	AC-to-DC
Output current	1.57 A

Adjustable output voltage	No
AC port type	C5
Detachable power connectors	Yes
Power protection features	Short circuit
Compatibility	- HP/Compaq Mini: 1000, 1000 Mi Series (CTO), 1000 VT Series (CTO), 1000 WWAN Series (CTO), 1000 XP Series (CTO), 1001TU, 1002TU, 1003TU, 1004TU, 1005TU, 1006TU, 1007TU, 1008TU, 1009TU, 1010LA, 1010NR, 1010TU, 1011TU, 1013TU, 1014TU, 1015TU, 1016TU, 1018TU, 1019TU, 1020LA
Power	
Automatic output voltage adjustment	Yes
Input operation voltage (min)	100 V
AC adapter output current	1.57 A
Performance	
Connector(s)	4.0*1.7
Design	
Product colour	Black
Housing material	Plastic
Housing colour	Black
Built-in display	No
On/off switch	No
Certificates	
Compliance certificates	RoHS
Certification	CE
Weight & dimensions	
Width	120 mm
Depth	300 mm
Height	30 mm
Weight	150 g
Packaging data	
Package width	120 mm
Package depth	300 mm
Package height	30 mm
Package weight	250 g
Packaging content	
Quantity per pack	1 pc(s)

Cables included	AC
Included power plug types	EU
Technical details	
Power	30 W
Power consumption (standby)	0.1 W
Plug 1 dimensions	4.0*1.7
Logistics data	
Country of origin	China
Other features	
Overload protection	Yes
Batteries included	No
Short circuit protection	Yes
Voltage	110-230 V