

ATEN VS1824KIT-AT-G video splitter HDMI 2x HDMI

Gamintojas: **ATEN** · Modelis: **VS1824KIT** · EAN: **4710469348938** · Prekės kodas: **733803**



319,90 €

Kaina su PVM

Be PVM: **264,38 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ A kit that includes 1 splitter and 4 receivers to distribute 1 HDMI source to 4 displays up to 40m away via a single Cat 6 cable
- ✓ Supports up to 4K @ 30 Hz (4:4:4) for crystal-clear video presentation
- ✓ Power over Cable (PoC) functionality from splitter to receivers to avoid cluttered cable installation
- ✓ User-adjustable EDID switch on splitter for output video resolutions and audio capabilities configuration



Aprašymas

The VS1824KIT is a kit that includes 1 splitter and 4 receivers, distributing an HDMI source at up to 4K @ 30 Hz (4:4:4) to 4 displays up to 40m away via a single Cat 6 cable. The system also supports lossless digital audio formats such as LPCM 7.1CH, Dolby TrueHD, Dolby Digital Plus & DTS-HD Master Audio. Only one power adapter for the splitter is needed as a result of the receivers being powered by the splitter thanks to the Power over Cable (PoC) functionality, which also helps avoid cluttered cable installation. An HDMI local output port is built on the splitter for content monitoring or cascading purposes. Moreover, the splitter contains a user-adjustable EDID switch, enabling users to configure the output video resolutions and audio capabilities for seamless integration across the system. The receiver's ultra lightweight, palm-sized enclosure ensures flexible installation including mounting and placement in tight spaces.

The kit comes with 1 IR blaster cable for the splitter and 4 IR receiver cables for receivers, allowing users to remotely control the source device from the receiver side. With plug-and-play operation, no software is required, enabling easy, immediate installation. The VS1824KIT delivers excellent AV transmission quality and installation flexibility within different installation scenarios, from meeting facilities, retail settings, showrooms, entertainment systems, and more.

Techninė specifikacija

Specifications	
Sandėlio grupė	Desktop > Video Cables & Adapters [+2032][[-276]
Ports & interfaces	
Video ports quantity	3
Video port type	HDMI
Video out	2x HDMI
Ethernet LAN (RJ-45) ports	5
Audio ports quantity	3
DC-in jack	Yes
Features	
Maximum resolution	4096 x 2160 pixels
Product colour	Black
Housing material	Metal
HD type	4K Ultra HD
3D	Yes
Maximum operating distance	3 m
Maximum refresh rate	60 Hz
Bandwidth	340 MHz
HDCP version	1.4
Extended display identification data (EDID)	Yes
Data transfer rate	10.2 Gbit/s
HDCP	Yes
Power	
Power consumption (typical)	11 W
Packaging data	
Quantity per pack	5 pc(s)
Package width	264 mm
Package depth	197 mm
Package height	140 mm
Package weight	1.5 kg
Packaging content	
Cables included	IR

Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 90%
Logistics data	
Master (outer) case net weight	8.48 kg
Harmonized System (HS) code	85437090
Master (outer) case width	300 mm
Master (outer) case length	462 mm
Master (outer) case height	443 mm
Master (outer) case gross weight	9.6 kg
Country of origin	China