

Imou Cruiser 2 Sferinis IP apsaugos kamera Lauke 2880 x 1620 pikseliai Lubos / siena

Gamintojas: **IMOU** · Modelis: **IPC-GS7EP-5M0WE-imou** · EAN: **6971927235049** · Prekės kodas: **734606**



97,90 €

Kaina su PVM

Be PVM: **80,91 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Lauke IP apsaugos kamera
- ✓ CMOS 25,4 / 2,7 mm (1 / 2.7") 5 MP 2880 x 1620 pikseliai
- ✓ Vielinis ir Bevielis Ethernet LAN jungtis „Wi-Fi“
- ✓ Naktinis matymas 30 m
- ✓ Skaitmeninis priartinimas: 8x
- ✓ Sferinis Lubos / siena
- ✓ IP66 Neperpučiamas
- ✓ Balta
- ✓ 423 g



Aprašymas

IMOU Cruiser 2 3K IPC-GS7EP-5M0WE-WLAN IP Überwachungskamera 2880 x 1620 Pixel (IPC-GS7EP-5M0WE-imou)

Techninė specifikacija

Performance	
Type	IP security camera
Placement supported	Outdoor
Connectivity technology	Wired & Wireless
PTZ control	Yes
Antenna type	External
Antennas quantity	2
Design	
Mounting type	Ceiling/wall
Product colour	White
Form factor	Spherical
Housing material	Plastic
International Protection (IP) code	IP66
Weatherproof	Yes
Camera	
Camera pan control	Yes
Camera tilt control	Yes
Lens viewing angle, horizontal	85°
Lens viewing angle, vertical	42°
Lens viewing angle, diagonal	102°
Tilt angle range	0 - 90°
Pan range	0 - 340°
Image sensor	
Sensor type	CMOS
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")
Progressive scan	Yes
Lens system	
Number of lenses	1
Zoom capability	Yes
Digital zoom	8x
Lens diameter	3.6 mm
Night vision	
Night vision	Yes

Night vision distance	30 m
Video	
Maximum resolution	2880 x 1620 pixels
Total megapixels	5 MP
Video compression formats	H.264, H.265
Frame rate	30 fps
Audio	
Built-in speaker(s)	Yes
Audio system	2-way
Built-in microphone	Yes
Network	
Ethernet LAN	Yes
Wi-Fi	Yes
Bluetooth	No
Ethernet interface type	Fast Ethernet
Wi-Fi standards	802.11g, 802.11b, Wi-Fi 4 (802.11n), Wi-Fi 6 (802.11ax)
Frequency band	2.4 GHz
Storage	
Built-in HDD	No
Compatible memory cards	MicroSD (TransFlash)
Maximum memory card size	256 GB
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
Security	
Built-in siren	Yes
Siren noise level	110 dB
Video motion detection	Yes
Alert notification type	Text alert message
Intelligent Video Surveillance (IVS) system features	Human detection, Vehicle detection
Configurable region	Yes
Management features	
Reset button	Yes
Power	
Power source type	DC

Power consumption (typical)	12 W
DC output voltage	12
DC output current	1 A
Operational conditions	
Operating temperature (T-T)	-30 - 60 °C
Operating relative humidity (H-H)	0 - 95%
System requirements	
Mobile operating systems supported	Android, iOS
Weight & dimensions	
Width	110.4 mm
Depth	128.8 mm
Height	132.7 mm
Weight	423 g
Sustainability	
Compliance certificates	UKCA, CE
Sustainability compliance	Yes
Packaging content	
Number of cameras	1
Screws included	Yes
Manual	Yes
AC adapter included	Yes
Anchors included	Yes
Mounting template	Yes
Waterproof connector	Yes
Matmenys ir svoris	
Svoris	0,78kg

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)
- › [Vaizdo įrašas](#) [objects.icecat.biz/objects/109750730_23685869.mp4](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Hangzhou Huacheng Network Technology Co., Ltd.

Liye Road 582, Hangzhou, CN

imou.com

ATSAKINGAS ASMUO ES

Imou Network Technology B.V.

Lange Kleiweg 6, 2288 GK Rijswijk, NL

imou.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt