

Lindy 20m Active DisplayPort 1.2 Cable

Gamintojas: **LINDY** · Modelis: **41081** · EAN: **4002888410816** · Prekės kodas: **736742**



97,90 €

Kaina su PVM

Be PVM: **80,91 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Creates a long distance connection between a DisplayPort source device and display
- ✓ Supports high quality resolutions up to 4K 60hz
- ✓ In-built active chipset for reliable longer length DisplayPort transmission
- ✓ Bi-directional capability for a more efficient, simpler installation
- ✓ 2 year warranty



Aprašymas

Lindy's Active DisplayPort 1.2 cables combine a sleek yet functional design with superior performance to provide a reliable DisplayPort transmission over distances not possible with standard passive DP cables. An active chipset, housed neatly in the centre of the cable, allows active cables to amplify DisplayPort signals effectively creating much longer DP transmissions. This creates long distance connections without the need for additional repeaters or extenders. Although many active DisplayPort cables are unidirectional and require connection to the source and display from a specific connector, these cables provide bi-directional capabilities, allowing for a simpler connection while avoiding potential compatibility issues. Combined with a stylishly designed headshell and high quality, flexible cable, these are an ideal solution for hassle-free installations through conduits or behind walls, to provide a more discreet and modern AV setup.

Featuring DisplayPort 1.2 cable technology, these cables are ideal for use with a variety of DisplayPort source device including PCs when connected to DP commercial displays and monitors. With support for resolutions up to 4k 60Hz, video content can be seen with stunning clarity, perfect for

creating exciting retail displays, informational digital signage in transport buildings or engaging presentations in education, while 8-channel audio support allows for immersive audio to complement and enhance the viewer's experience.

Additional support for the REC.2020 colour space that covers the wider colour gamut required for high-dynamic range content, for better contrast and more lifelike colour, also provides an enhanced viewing experience. Please note: This cable does not currently support daisy-chain functionality with Lenovo displays.

Techninė specifikacija

Specifications	
Sandėlio grupė	> Kabel und Adapter > Displayport Kabel und Adapter [+1987][-131]
Features	
Cable length	20 m
Connector 1	DisplayPort
Connector 2	DisplayPort
Connector 1 gender	Male
Connector 2 gender	Male
Maximum resolution	3840 x 2160 pixels
Product colour	Black
Connector contacts plating	Gold
DisplayPort version	1.2
Supported video modes	2160p
Cable material	Copper
Cable shielding	Aluminum mylar foil
Jacket material	Polyvinyl chloride (PVC)
AWG wire size	28
Data transfer rate	21.6 Gbit/s
Operational conditions	
Operating temperature (T-T)	0 - 70 °C
Storage temperature (T-T)	-10 - 45 °C
Certificates	
Compliance certificates	RoHS
Certification	CE,FCC, REACH
Weight & dimensions	
Cable diameter	7 mm
Packaging data	
Package type	Polybag

Packaging content

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------

Matmenys ir svoris

Svoris	1,52kg
--------	--------