

Zyxel XMG-108 Unmanaged 2.5G Ethernet (100/1000/2500) Silver

Gamintojas: ZYXEL · Modelis: XMG-108-ZZ0101F · EAN: 4718937631131 · Prekės kodas: 736997



115,91 €

Kaina su PVM

Be PVM: 95,79 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Full speed 2.5G Ethernet for 2.5G network devices such as gaming PC, PCIe Adapter, Server, WiFi 6/6E AP and more
- ✓ Extra 10G SFP+ for NAS or Uplink connectivity
- ✓ Increase home networking speed up to 2.5X without extra cabling cost
- ✓ Access Internet just plug-and-play, no configuration required
- ✓ Silent, stable, and power-efficient operation



Aprašymas

The Zyxel XMG-100 Series 2.5 Gigabit switch is the ideal choice for home, SOHO, or small office users who want to upscale their network with increasing demands coming from online gaming activities, multimedia streaming services or faster wireless network connectivity. All ports are equipped with 2.5 Gigabit Ethernet speed, allowing easy network speed upgrade. In addition, this Series offers an extra SFP+ slot for 10G network uplink or access to a NAS.

Plug-and-play to upgrade your network to WiFi 6/6E.

The XMG-100 Series Switch features Multi-Gig ports supporting speeds up to 2.5G, allowing effortless connection to the latest 2.5G-compatible network devices for high-performance networking. Its simplified plug-and-play technology ensures easy setup to seamlessly upgrade your wireless network to WiFi 6/6E by connecting to the PoE models XMG-105HP and XMG-108HP.

Extra 10G port to streamline large file transfers.

The 10-Gigabit SFP+ increase the network speed for quicker uploads and downloads through NAS and server, allowing content creators or self-media individuals to work more efficiently. Large files, such as high-resolution videos or images, can be transferred in significantly less time, saving valuable production hours.

2.5G Super-Fast Speeds Without Re-cabling.

You can use your current Cat 5e cables to upgrade your home networking speed from current 1Gbps to 2.5Gbps without additional cabling fee!

Silent Operation, and Flexible Deployment.

The XMG-100 Series is built with fanless and sturdy hardware design to ensure all-time silent and stable operation. They are perfect for noise-free environments such as home or studio. The compact design offers flexible mounting options to place the switch on a desktop or mount it to a wall.

Accelerate Your Networking Experience.

The XMG-100 Series offers home or SOHO users a lag-free and non-intermittent network experience for online gaming or multimedia streaming services. This is achieved through a fast and secure local network connection.

Techninė specifikacija

Specifications	
Sandėlio grupė	> Netzwerk > Switches [+1607][(-273)]
Management features	
Switch type	Unmanaged
Quality of Service (QoS) support	Yes
Ports & interfaces	
Basic switching RJ-45 Ethernet ports quantity	8
Basic switching RJ-45 Ethernet ports type	2.5G Ethernet (100/1000/2500)
Installed SFP modules quantity	0
Installed SFP+ modules quantity	0
SFP+ module slots quantity	1
Network	
Networking standards	IEEE 802.1p, IEEE 802.3ab, IEEE 802.3ae, IEEE 802.3az, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z
10G support	Yes
Data transmission	
MAC address table	4000 entries
Switching capacity	60 Gbit/s
Forwarding rate	44.6 Mpps
Jumbo frames support	Yes
Jumbo frames	12000
Packet buffer memory	1 MB

Design

Product colour	Silver
LED indicators	Link, Power
Wall mountable	Yes

Performance

Mean time between failures (MTBF)	1647776 h
-----------------------------------	-----------

Power

Power source	DC
Power supply included	Yes
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power consumption (max)	9.12 W

Power over Ethernet (PoE)

Power over Ethernet (PoE)	No
---------------------------	----

Operational conditions

Operating temperature (T-T)	-20 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 95%
Storage relative humidity (H-H)	5 - 95%
Heat dissipation	33.61 BTU/h

Weight & dimensions

Width	240 mm
Depth	105 mm
Height	27 mm
Weight	662 g

Packaging content

Quick start guide	Yes
-------------------	-----

Certificates

Certification	CE, EAC, FCC, BSMI Class B
---------------	----------------------------

Matmenys ir svoris

Matmenys (I × P × A)	8,00cm × 26,00cm × 14,00cm
Svoris	0,97kg