

Lindy Display Port to HDMI 4K120Hz Adapter

Gamintojas: **LINDY** · Modelis: **41095** · EAN: **4002888410953** · Prekės kodas: **737062**



67,91 €

Kaina su PVM

Be PVM: **56,12 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Connects a DisplayPort 1.4 computer to an HDMI® 4k120Hz Display
- ✓ Supports resolutions up to 7680x4320@60Hz** and 3840x2160 @120Hz
- ✓ Audio pass-through if supported by the video source
- ✓ Active chipset for enhanced compatibility with various graphic cards



Aprašymas

The Lindy DisplayPort 1.4 to HDMI® 4K120Hz Converter is a high performance solution that allows Display 1.4 Signals to HDMI® with resolutions of 4K 3840x2160 @ 120Hz*. Making it the ideal tool for high resolution high refresh rate game streaming or high resolution video editing. Additionally supporting High-Dynamic Range (HDR) ensuring that video content can be seen with enhanced brightness, superior contrasts and a much wider colour gamut, for a more lifelike color. For the best performance of the converter the use of Ultra high speed HDMI® cables is recommended, such as the Lindy Ultra High Speed HDMI® Anthra Line Cables.

HDCP 2.2 ensures issue-free playback of 4K Ultra HD movies and other high resolution content. Active conversion guarantees compatibility with various graphics cards including AMD Eyefinity, NVIDIA surround and Intel Collage, great for an immersive gaming setup or a productive multi-screen working experience.

*Please update your graphic drivers and make sure that DSC v1.2a is supported on your devices.

**The converter can support up to 8K Resolution @ 60Hz on NVIDIA Based graphic cards.

Techninė specifikacija

Specifications

Sandėlio grupė > Kabel und Adapter > Displayport Kabel und Adapter [+1987][-131]

Ports & interfaces

Connector 1	DisplayPort
Connector 2	HDMI Type A
Connector 1 gender	Male
Connector 2 gender	Female
Connector 1 form factor	Straight
Connector 2 form factor	Straight
DisplayPort version	1.4

Performance

Product colour	Grey
Housing material	Aluminium
Data transfer rate	48 Gbit/s
Maximum resolution	7680 x 4320 pixels
Maximum resolution (HDMI)	7680 x 4320 pixels
Chipset	VMM7100
Maximum refresh rate	120 Hz
HDCP	Yes

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 80 °C
Relative humidity	0 - 85%

Certificates

Compliance certificates	CE, Federal Communications Commission (FCC), REACH, RoHS
Certification	CE, FCC, RoHS & REACH, California Proposition 65

Weight & dimensions

Width	20 mm
Depth	10 mm
Height	40.2 mm
Weight	14.8 g

Packaging content

Quantity per pack	1 pc(s)
-------------------	---------

Packaging data

Package width174 mm

Package depth194 mm

Package weight42 g

Logistics data

Warranty period2 year(s)

Other features

Technical featuresHDR support, DSC v1.2a support

Matmenys ir svoris

Svoris0,01kg