

LevelOne IGP-1031 network switch Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Black

Gamintojas: **LEVELONE** · Modelis: **IGP-1031** · EAN: **4015867223963** · Prekės kodas: **737499**



413,90 €

Kaina su PVM

Be PVM: **342,07 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 10/100/1000Mbps wire speed transmission and reception
- ✓ Built-in 8 PoE ports for PoE devices
- ✓ 8 Gigabit Ethernet ports and 2 Gigabit SFP slots
- ✓ Connection distance of up to 250m at 10Mbps data rate
- ✓ Supports policy-based VLAN
- ✓ 6KV surge protection level on each port
- ✓ ESD and surge protection

Aprašymas

LevelOne IGP-1031 Industry Ethernet Switch provides 8 PoE ports 10/100/1000Base plus 2 port Gigabit SFP to enable high speed network at mission-critical environment. With the industrial standard DIN-rail mount; this switch can be easily installed in the cabinet, plus the clearly visible status LEDs provide simple monitoring of port link activity. Moreover, the SFP slots support pluggable modules that enabling you to choose from a variety of transceivers. This switch is Power Sourcing Equipment (PSE), and it is fully complied with IEEE802.3af/at PoE standard at maximum 30W each port power budget. It helps to save infrastructure wiring costs dramatically by eliminating electric wiring and less UPS needed. Also, it is compatible with IEEE802.3af standard PD devices.

Techninė specifikacija

Specifications

Sandėlio grupė

> Netzwerk > Switches [+1607][-273]

Ports & interfaces

Basic switching RJ-45 Ethernet ports quantity

8

Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Gigabit Ethernet (copper) ports quantity	8
SFP module slots quantity	2
Network	
Networking standards	IEEE 802.1ab, IEEE 802.1af, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z
Data transmission	
MAC address table	8000 entries
Design	
Rack mounting	No
Stackable	No
Product colour	Black
LED indicators	Yes
DIN rail mounting	Yes
Power	
Power supply included	No
DC input voltage	48 - 57 V
Surge protection	Yes
Surge protection voltage	6 kV
Power over Ethernet (PoE)	
Power over Ethernet (PoE)	Yes
Power over Ethernet (PoE) ports quantity	8
Operational conditions	
Operating temperature (T-T)	-40 - 75 °C
Storage temperature (T-T)	-40 - 85 °C
Operating relative humidity (H-H)	0 - 95%
Storage relative humidity (H-H)	0 - 95%
Weight & dimensions	
Width	114 mm
Depth	50 mm
Height	165 mm
Weight	1 kg
Packaging content	
Quick start guide	Yes
Packaging data	

Package type	Box
Package width	181 mm
Package depth	74 mm
Package height	270 mm
Package weight	1.05 kg
Technical details	
Pallet net height	150 cm
Pallet net length	80 cm
Pallet net width	120 cm
Logistics data	
Country of origin	China
Harmonized System (HS) code	85176990
Matmenys ir svoris	
Svoris	0,10kg