

LevelOne IGU-0501 network switch Gigabit Ethernet (10/100/1000) Black

Gamintojas: **LEVELONE** · Modelis: **IGU-0501** · EAN: **4015867223970** · Prekės kodas: **737500**



110,90 €

Kaina su PVM

Be PVM: **91,65 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 10/100/1000Mbps wire speed transmission and reception
- ✓ 6KV surge protection level on each port
- ✓ ESD and surge protection
- ✓ Supports DIN-rail installation



Aprašymas

LevelOne IGU-0501 Industry Ethernet Switch provides 4 ports 10/100/1000 Base plus 1 port Gigabit SFP to enable high speed network at mission-critical environment. With the industrial standard DIN-rail mount; this switch can be easily installed in the cabinet, plus the clearly visible status LEDs provide simple monitoring of port link activity. Moreover, the SFP slots support pluggable modules that enabling you to choose from a variety of transceiversnetwork at mission-critical environment.

Techninė specifikacija

Specifications

Sandėlio grupė

> Netzwerk > Switches [+1607][-273]

Ports & interfaces

Basic switching RJ-45 Ethernet ports quantity	4
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Gigabit Ethernet (copper) ports quantity	4
SFP module slots quantity	1
Network	
Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z
10G support	No
Copper ethernet cabling technology	100BASE-TX, 1000BASE-T, 1000BASE-X
Flow control support	Yes
Data transmission	
MAC address table	8000 entries
Switching capacity	10 Gbit/s
Packet buffer memory	1 MB
Design	
Rack mounting	No
Stackable	No
Product colour	Black
LED indicators	Yes
DIN rail mounting	Yes
Performance	
Mean time between failures (MTBF)	400000 h
Power	
Power source	DC
Power supply included	No
Surge protection	Yes
Surge protection voltage	6 kV
Power over Ethernet (PoE)	
Power over Ethernet (PoE)	No
Operational conditions	
Operating temperature (T-T)	-40 - 75 °C
Storage temperature (T-T)	-40 - 85 °C
Operating relative humidity (H-H)	0 - 95%
Storage relative humidity (H-H)	0 - 95%
Weight & dimensions	

Width	65 mm
Depth	50 mm
Height	99 mm
Weight	350 g
Packaging content	
Quick start guide	Yes
Packaging data	
Package type	Box
Package width	110 mm
Package depth	62 mm
Package height	130 mm
Package weight	400 g
Technical details	
Pallet net height	150 cm
Pallet net length	80 cm
Pallet net width	120 cm
Logistics data	
Country of origin	China
Harmonized System (HS) code	85176990
Matmenys ir svoris	
Svoris	0,36kg