

AVer CAM570 Black 3840 x 2160 pixels 60 fps Exmor

Gamintojas: **AVERMEDIA** · Modelis: **61U3500000AC** · EAN: **4719552126989** · Prekės kodas: **737573**



1 859,90 €

Kaina su PVM

Be PVM: **1 537,11 €**

Sandėlyje



Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Audio Tracking
- ✓ Dynamic Detection
- ✓ Smart Gallery
- ✓ Gesture Control
- ✓ Dual lens
- ✓ 4K
- ✓ HDMI 1080P



Aprašymas

4K Dual Lens Audio Tracking Camera for Medium and Large Rooms

AVer CAM570 is a 4K dual lens camera with a 36X Total zoom PTZ camera and a second AI lens with 95°FOV. Equipped with built-in audio sensor, CAM570 detects human voices up to 10M and offers audio tracking function. AI technology such as Smart Gallery and gesture control can capture every attendees up-close with premium video quality.

Built-in Audio Sensor Enables Audio Tracking

Easily focus on active speaker with audio tracking mode and presentation mode. The camera will follow the speaker automatically or you can set up a preset point to focus on a specific area. The built-in sensor picks up human voices up to 10M without being disturbed by a local speakerphone.

Dynamic Detection Optimizes Meeting Experience

The dual-lens design detects real-time motion precisely while offering a complete view of the room simultaneously. When the second AI lens detects

a newcomer walking in, it triggers the first PTZ camera to re-frame the participants, ensuring all meeting attendees are instantly captured again for a seamless collaboration in real-time.

Smart Gallery Delivers a Clearer View of Faces

Perfectly see everyone in the room. Thanks to AI technology, Smart Gallery crops meeting attendees and display them in equal individual feeds. Highlight participants' facial and body expressions, leading to effective hybrid meetings.

Interact with CAM570 Using Touchless Gesture Control

With the application of AI to recognize gestures and interpret commands, you can turn on/off the tracking function and zoom in/out without any direct physical touch. Minimize the touch points and improve workplace hygiene.

Picture-in-Picture Displays Preferred Conference View

CAM570 includes a PTZ camera with 36X Total zoom and a second AI lens to provide a panoramic view. The dual-lens design offers a speaker view and wide-angle view simultaneously with various PIP layout options. Ideal for larger and more complex meeting spaces.

Techninė specifikacija

Specifications	
Sandėlio grupė	> Netzwerk > Netzwerkkamera und Zubehör [+1996][-361]
Camera	
Camera type	Dual camera
Sensor type	Exmor
Zoom capability	Yes
Optical zoom	12x
Digital zoom	3x
Combined zoom	36x
Focal length range	3.4 - 40.3 mm
Field of view (FOV) angle	95°
Horizontal field of view	78°
Vertical field of view	52°
Aperture range (F-F)	1.8 - 3.6
Closest focusing distance	1.5 m
Video	
Maximum video resolution	3840 x 2160 pixels
Maximum frame rate	60 fps
HD type	4K Ultra HD
Resolution at capture speed	3840x2160@30fps
Supported video modes	360p, 480p, 540p, 720p, 900p, 1080p
Design	
Product colour	Black

Tilt angle range	-30 - 90°
Pan range	-170 - 170°
Country of origin	Taiwan
Ports & interfaces	
HDMI ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-B ports quantity	1
RS-232 input ports	1
RS-232 output ports	1
Ethernet LAN (RJ-45) ports	1
Power	
Power source type	AC, PoE
AC input frequency	50 - 60 Hz
AC input voltage	100 - 240 V
Operating voltage	12 V
Operating current	2 A
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	20 - 80%
System requirements	
Windows operating systems supported	Windows 10, Windows 11, Windows 7
Mac operating systems supported	Yes
Other operating systems supported	ChromeOS
Minimum processor speed	3.2 GHz
Minimum processor	Intel Core i5-4460
Minimum RAM	4096 MB
Performance	
Cable lock slot	Yes
Cable lock slot type	Kensington
Logistics data	
Products per master (outer) case	2 pc(s)
Products per pallet	48 pc(s)
Harmonized System (HS) code	8517691000

Weight & dimensions

Width	150 mm
Depth	165.5 mm
Height	194 mm
Weight	4.6 kg

Packaging data

Package width	275 mm
Package depth	293 mm
Package height	525 mm
Package weight	10.9 kg
Package type	Box

Matmenys ir svoris

Svoris	6,91kg
--------	--------