

LevelOne GEMINI 4-Channel PoE Network Video Recorder, 4 PoE Outputs, H.265

Gamintojas: **LEVELONE** · Modelis: **NVR-0504** · EAN: **4015867202265** · Prekės kodas: **738131**



346,89 €

Kaina su PVM

Be PVM: **286,69 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Supports video resolutions up to 8 megapixels
- ✓ Video compression: H.264, H.265
- ✓ Supports 4k2k HDMI local display
- ✓ 1 x 3.5" hard drive bay supports disk capacity of up to 6TB
- ✓ Built-in 4 PoE ports for PoE devices
- ✓ Free CMS (Central Management System) software with 64-channel license



Aprašymas

The LevelOne NVR-0504 NVR enables live view, recording and playback for up to 4 IP network cameras at the same time, featuring up to 8-megapixel resolution and H.265/H.264+/H.264 video compression. Operation is easy and intuitive via the web browser interface (IE), enabling remote monitoring and functionality. Mobile device operations are also supported (iOS/Android), with remote viewing via the LevelOne NVR app.

The NVR also features built-in HDMI, VGA and USB ports for peripheral devices such as a monitor, mouse or keyboard, allowing users to operate directly from the NVR without the cost of adding a PC to the deployment. One HDD bay completes the package, with a disk capacity of up to 6TB making the LevelOne NVR-0504 a powerful, smart and cost-effective solution for managing your security network.

An integrated 4-port 802.3at PoE switch enables the NVR to run both power and data on the one cable to power up connected PoE cameras.

Central Management System (CMS) software is included for free, with no license fees. The CMS is capable of managing up to 256 NVRs, making it suitable for large scale surveillance applications.

Techninė specifikacija

Specifications	
Sandėlio grupė	> Netzwerk > Netzwerkkamera und Zubehör [+1996][-361]
Performance	
Video input channels	4 channels
Maximum resolution	3840 x 2160 pixels
Number of users	32 user(s)
Video formats supported	H.264, H.265, MPEG4
Operating system installed	Embedded LINUX
Throughput data rate	80 Mbit/s
Hard drive	
Number of HDDs installed	0
HDD capacity	0 GB
Maximum storage capacity	6 TB
Number of HDDs supported	1
HDD size	3.5"
Ports & interfaces	
Ethernet LAN (RJ-45) ports	4
Power over Ethernet (PoE)	Yes
Power over Ethernet (PoE) ports quantity	4
HDMI output	Yes
HDMI ports quantity	1
VGA (D-Sub) output ports	1
USB 2.0 ports quantity	2
Audio RCA inputs	1
Audio RCA outputs	1
Networking standards	IEEE 802.3at
Supported network protocols	TCP,UDP,IPv4,IPv6,Http,Https,SMTP,NTP,SNTP
Features	
LED indicators	HDD, Power
On/off switch	Yes
Product colour	Black

Country of origin	China
Certification	CE, FCC, ISO9001, ISO14001
Power	
Power consumption (typical)	65 W
System requirements	
Mobile operating systems supported	Android, iOS
Browser supported	Internet Explorer 9+
Operational conditions	
Operating temperature (T-T)	-10 - 55 °C
Operating relative humidity (H-H)	10 - 90%
Technical details	
Compliance certificates	RoHS
Weight & dimensions	
Width	240 mm
Depth	48 mm
Height	315 mm
Weight	1 kg
Package width	485 mm
Package depth	290 mm
Package height	85 mm
Package type	Box
Package weight	1.15 kg
Packaging content	
Cables included	AC
AC adapter included	Yes
CD manual	Yes
Logistics data	
Master (outer) case width	723 mm
Master (outer) case length	503 mm
Master (outer) case height	313 mm
Master (outer) case gross weight	12.8 kg
Products per master (outer) case	8 pc(s)
Matmenys ir svoris	
Svoris	2,14kg