

Lindy 10m Active DisplayPort 1.4 Cable

Gamintojas: **LINDY** · Modelis: **41169** · EAN: **4002888411691** · Prekės kodas: **738294**



104,89 €

Kaina su PVM

Be PVM: **86,69 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Creates a long-distance connection between a DisplayPort source device and display
- ✓ Supports high quality resolutions up to 4K@144Hz
- ✓ High Dynamic Range support for enhanced colour, brightness and contrasts
- ✓ In-built active chipset for reliable longer length DisplayPort transmission
- ✓ 2 year warranty



Aprašymas

Active DisplayPort cables use integrated electronics in the form of 'chipsets' to amplify signals enabling them to be sent further than their standard distance.

Lindy's Active DisplayPort 1.4 cables provide premium performance DisplayPort transmission over distances not possible with standard passive DP cables.

An active chipset, situated in the connector housing, allows active cables to amplify DisplayPort signals effectively creating much longer DP transmissions. This creates long distance connections without the need for additional repeaters or extenders.

Combined with a stylishly designed head-shell and high quality, flexible cable, these are an ideal solution for hassle-free installations through

conduits or behind walls, to provide a more discreet and modern AV setup.

Featuring DisplayPort 1.4 technology, these cables are ideal for use with a variety of DisplayPort source devices including PCs when connected to DP commercial displays and monitors. With support for resolutions up to 4k@144Hz or 8K@60Hz, video content can be seen with stunning clarity, perfect for creating exciting retail displays, informational digital signage in transport buildings or immersive gaming setups in the home or in larger eSports installations. High Dynamic Range support also provides enhanced brightness, more lifelike colour reproduction and better contrasts for a superior viewing experience.

Techninė specifikacija

Specifications	
Sandėlio grupė	> Kabel und Adapter > Displayport Kabel und Adapter [+1987][-131]
Features	
Cable length	10 m
Connector 1	DisplayPort
Connector 2	DisplayPort
Connector 1 gender	Male
Connector 2 gender	Male
Maximum resolution	7680 x 4320 pixels
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Gold
DisplayPort version	1.4
Supported graphics resolutions	4096 x 2160, 7680 x 4320
Maximum refresh rate	144 Hz
Jacket material	Polyvinyl chloride (PVC)
AWG wire size	28
Data transfer rate	32.4 Gbit/s
Operational conditions	
Operating temperature (T-T)	-10 - 80 °C
Storage temperature (T-T)	-20 - 85 °C
Certificates	
Certification	CE, FCC, RoHS, REACH & California Proposition 6
Logistics data	
Harmonized System (HS) code	84733080
Matmenys ir svoris	

Svoris

0,65kg