

LevelOne Switch 24x GE GEU-2431 19\" Rack Mount Kit Unmanaged Gigabit Ethernet (10/100/1000) 1U Black

Gamintojas: **LEVELONE** · Modelis: **GEU-2431** · EAN: **4015867228142** · Prekės kodas: **738444**



149,89 €

Kaina su PVM

Be PVM: **123,88 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 24 Gigabit Ethernet ports
- ✓ Supports 8K MAC address auto-learning and auto-aging
- ✓ 10/100/1000Mbps, full/half-duplex, auto-negotiation, auto-MDI/MDIX
- ✓ Supports 3 working modes to fulfill different applications
- ✓ 9K jumbo frames to increase data transfer rates

Aprašymas

Gigabit Speeds: Take Your Data to the Next Level

GEU-2431 is a 24-port Gigabit Ethernet Switch that gives you a high-performance, low-cost, easy-to-use, seamless upgrade to boost your network to 1000Mbps. Increase the speed of your network backbone to a massive 48Gbps and bring lightning fast Gigabit connections to all your computers.

Bandwidth hungry? Not a problem.

What happens when you have several users accessing multimedia applications all at the same time? No need to worry as GEU-2431 allows you to move large files faster and easier. Transfer your CGI, CAD, video, or other large multimedia files over the network instantly and without lag.

Plug and Play, Flexible and Easy

GEU-2431 is plug-and-play so no configuration is required. Providing auto MDI/MDI-X cable detection on all ports eliminates the need for crossover cables or Uplink ports. Each port can be used as general ports or Uplink ports, and any port can be simply plugged into a server, a hub, a router or a switch, using a straight cable or crossover cable.

Techninė specifikacija

Specifications

Sandėlio grupė

> Netzwerk > Switches [+1607][-273]

Management features

Switch type	Unmanaged
-------------	-----------

Ports & interfaces

Basic switching RJ-45 Ethernet ports quantity	24
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Installed SFP modules quantity	0
Installed SFP+ modules quantity	0
Gigabit Ethernet (copper) ports quantity	24
Power connector	AC-in jack

Network

Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x
10G support	No
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T
Full duplex	Yes
Half duplex	Yes
Auto MDI/MDI-X	Yes
Ethernet LAN data rates	10,100,1000 Mbit/s
Auto-negotiation	Yes

Data transmission

MAC address table	8000 entries
Jumbo frames support	Yes
Jumbo frames	9000

Design

Rack mounting	Yes
Stackable	No
Form factor	1U
Product colour	Black
LED indicators	Yes

Performance

Built-in processor	Yes
Processor frequency	500 MHz
Internal memory	4.1 MB

Power

Power source	AC
Power supply included	Yes
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Input current	1 A
Power consumption (typical)	25 W
Power over Ethernet (PoE)	
Power over Ethernet (PoE)	No
Operational conditions	
Operating temperature (T-T)	-10 - 55 °C
Storage temperature (T-T)	-40 - 75 °C
Operating relative humidity (H-H)	5 - 90%
Storage relative humidity (H-H)	5 - 95%
Weight & dimensions	
Width	438 mm
Depth	140 mm
Height	45 mm
Weight	1.62 kg
Packaging content	
Cables included	AC
Quick start guide	Yes
Rack mount kit	Yes
Packaging data	
Package type	Box
Package width	218 mm
Package depth	497 mm
Package height	93 mm
Package weight	2.22 kg
Certificates	
Certification	CE, RoHS
Logistics data	
Country of origin	China
Harmonized System (HS) code	85176990
Matmenys ir svoris	

Svoris

2,11kg