

InLine USB Display Cable, USB-C male to DisplayPort male, 1m

Gamintojas: **INLINE** · Modelis: **64121** · EAN: **4043718271245** · Prekės kodas: **738904**



26,90 €

Kaina su PVM

Be PVM: **22,23 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 1 m
- ✓ USB Type-C Male
- ✓ DisplayPort Male
- ✓ 3840 x 2160 pixels
- ✓ Black



Aprašymas

High 4K performance at 60 Hz: Supports resolutions up to 3,840 x 2,160 @60Hz with RGB and YCbCr 4:4:4 – ideal for detailed displays.

Direct connection without adapters: USB-C plug to DisplayPort plug – for easy connection to DisplayPort monitors.

Thunderbolt 3 compatible: Also works with Thunderbolt 3 ports – for versatile use.

Wide operating system compatibility: Supports Windows 7/8/10 and macOS from version 10.9 – flexible use.

Durable and convenient: Gold-plated contacts, USB powered and Plug & Play – for reliable connections in daily use.

The InLine USB-C to DisplayPort cable is a versatile connection solution for connecting modern devices with a USB-C interface to DisplayPort monitors. It enables the reliable transmission of high-resolution video and audio signals and supports resolutions up to 3,840 x 2,160 @60Hz with full colour spectrum in RGB and YCbCr 4:4:4.

Compatible with USB 3.1 and DisplayPort 1.2 standards as well as Thunderbolt 3 connections, the cable is suitable for a wide range of devices. Signal transmission is possible without additional drivers or power supplies thanks to Plug & Play and power supply via USB. This allows the cable to be used flexibly in various environments, such as home offices, training rooms or stationary workstations.

The gold-plated contacts ensure a reliable connection, even with regular use. Windows systems from version 7 and macOS from 10.9 are supported. A USB-C connection with DisplayPort Alternate Mode or a Thunderbolt 3 port is required.

Supported standards: USB 3.1, DisplayPort 1.2

Supported resolution: up to 3,840 x 2,160 @60Hz with RGB and YCbCr 4:4:4

Computers with Thunderbolt 3 are supported

For transferring video and audio signals

USB powered, no power supply required

Gold-plated contacts

Plug & Play

System requirements:

Windows 7/8/10, Mac OS 10.9 and newer

PC with a free USB-C port that supports DisplayPort Alternate Mode or PC with a free Thunderbolt 3 port

Techninė specifikacija

Specifications	
Sandėlio grupė	> Kabel und Adapter > Displayport Kabel und Adapter [+1987][-131]
Features	
Cable length	1 m
Connector 1	USB Type-C
Connector 2	DisplayPort
Connector 1 gender	Male
Connector 2 gender	Male
Connector contacts plating	Gold
DisplayPort version	1.2
Maximum resolution	3840 x 2160 pixels
Product colour	Black
Windows operating systems supported	Windows 10, Windows 7, Windows 8
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.9 Mavericks
Weight & dimensions	
Weight	45 g
Width	21 mm
Depth	1000 mm
Height	14 mm
Packaging data	
Package width	121 mm
Package depth	195 mm

Package height	31 mm
----------------	-------

Package weight	76 g
----------------	------

Other features

Dimensions (WxDxH)	21 x 1000 x 14 mm
--------------------	-------------------

Cable colour	Black
--------------	-------

Matmenys ir svoris

Svoris	0,07kg
--------	--------