

InLine B-15305 DisplayPort cable 5 m Black

Gamintojas: **INLINE** · Modelis: **B-15305** · EAN: **4043718336494** · Prekės kodas: **739973**



154,90 €

Kaina su PVM

Be PVM: **128,02 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ More economical: quick unpacking saves you time Ideal for use by customers
- ✓ More environmentally friendly: Less packaging (small waste) The cables are packed together in a PE bag to protect against moisture. Individual slip bags are no longer needed.
- ✓ More economical: The packaging is based on the optimal utilization of the carton capacity. Resources are optimally used and utilized.
- ✓ Cheaper: price advantage through bulk purchase 5% below the individual/normal price



Aprašymas

You will receive 20 pieces of item 15305 packed in a plastic bag to protect against moisture and an outer box.

The InLine® DisplayPort 1.4 cable in elegant black offers a reliable and high-quality connection for all your display requirements. Equipped with gold-plated contacts, this cable ensures optimum signal transmission and maximum corrosion resistance. It supports an impressive bandwidth of up to 32.4 Gbps, enabling a resolution of up to 8K at 60 Hz and 4K at 120 Hz.

Thanks to its robust construction and affordable materials, the InLine® DisplayPort 1.4 cable is the ideal choice for all home and office applications and anyone who wants razor-sharp images and smooth playback. It also supports HDR, Multi-Stream Transport (MST) and is backwards compatible with older DisplayPort versions. Whether in the home office, at work or when gaming - this cable always delivers the best performance. InLine Bulk ecoPacks are environmentally friendly bulk packaging in which the items are only packed in a PE bag to protect against moisture and in a uniform box. The packaging unit varies depending on the item size for optimal utilization. InLine Bulk ecoPacks are particularly suitable for direct use, e.g. B. for your own use or for installation at the customer's site. You get the proven InLine quality with minimal packaging. This saves time and money and

protects the environment.

Techninė specifikacija

Specifications

Sandėlio grupė > Kabel und Adapter > Displayport Kabel und Adapter [+1987][-131]

Features

Cable length	5 m
Connector 1	DisplayPort
Connector 2	DisplayPort
Connector 1 gender	Male
Connector 2 gender	Male
Maximum resolution	7680 x 4320 pixels
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Gold
DisplayPort version	1.4
Supported graphics resolutions	3840 x 2160, 7680 x 4320
Maximum refresh rate	120 Hz
Number of shielding layers	3
AWG wire size	30
Data transfer rate	32.4 Gbit/s
Multi-Stream Transport (MST)	Yes
Colour sampling	4:4:4
Cable type	Round cable

Operational conditions

Operating temperature (T-T)	-10 - 60 °C
Storage temperature (T-T)	-20 - 70 °C

Certificates

Compliance certificates	RoHS, TÜV mark
-------------------------	----------------

Weight & dimensions

Cable diameter	6 mm
Weight	126 g

Packaging data

Package width	215 mm
Package depth	290 mm
Package height	230 mm
Package weight	4.97 kg
Package type	Polybag
Package volume	14300 cm³
Packaging content	
Quantity per pack	20 pc(s)
Logistics data	
Country of origin	Taiwan
Other features	
Depth	5000 mm
Height	13 mm
Width	21 mm
Matmenys ir svoris	
Svoris	4,97kg