

TP-Link Omada 10-Port Gigabit Easy Managed Switch with 8-Port PoE+

Gamintojas: **TP-LINK** · Modelis: **ES210GMP** · EAN: **8885020620955** · Prekės kodas: **739977**



119,90 €

Kaina su PVM

Be PVM: **99,09 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 8x Gigabit 802.3at/af-compliant PoE+ RJ45 ports
- ✓ 1x Gigabit RJ45 port, 1x Gigabit SFP/RJ45 Combo port
- ✓ 123W Power Budget, with up to 30W for each PoE port
- ✓ Easy to Use: Supports plug-and-play for instant connectivity and simple configuration for additional features
- ✓ Centralized Cloud Management via the web or the Omada app
- ✓ Up to 250m PoE, QoS, PoE Auto Recovery, and Port Isolation for reliable surveillance networking
- ✓ Automatic Loop Prevention, VLAN, and IGMP Snooping
- ✓ Fanless design for silent operation
- ✓ Durable metal casing and desktop/wall mounting design



Aprašymas

Omada 10-Port Gigabit Easy Managed Switch with 8-Port PoE+

Omada Cloud Essentials - A Free and Easy Cloud-Based Network Management

Omada Cloud Essentials is a free, easy-to-use cloud-based management option for the Omada networking system\$, covering access points, switches, and gateways. It enables simple, centralized network management and monitoring with essential features, making it ideal for surveillance networks and small businesses that don't require the complexity of larger operations.

- Lifetime Free Cloud without Any Additional Fees
- Exists Entirely in the Cloud. No Hardware or Software Controller Needed
- Cloud Centralized Management for Multiple Sites
- Access Anytime via Omada App or Web
- Easy Setup, Use, and Maintenance
- Unlimited Management Scale
- Zero-Touch Provisioning (ZTP) without Unboxing
- Upgrade to Standard with a Seamless Subscription

Techninė specifikacija

Specifications	
Sandėlio grupė	> Netzwerk > Switches [+1607][-273]
Management features	
Switch type	Managed
Quality of Service (QoS) support	Yes
Cloud-managed	Yes
Ports & interfaces	
Basic switching RJ-45 Ethernet ports quantity	10
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Combo SFP ports quantity	1
Network	
Networking standards	IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.3af, IEEE 802.3at, IEEE 802.3x
10G support	No
Port mirroring	Yes
Flow control support	Yes
Link aggregation	Yes
Auto MDI/MDI-X	Yes
Auto-negotiation	Yes
VLAN support	Yes
Virtual LAN features	MTU VLAN, Port-based VLAN, Tagged VLAN
Optical fiber	
Transmission distance (max)	0.25 km
Data transmission	
MAC address table	8000 entries
Switching capacity	20 Gbit/s
Forwarding rate	14.88 Mpps

Store-and-forward	Yes
Jumbo frames support	Yes
Jumbo frames	15
Packet buffer memory	4 MB
Security	
DHCP features	DHCP client
IGMP snooping	Yes
Design	
Product colour	Black
Reset button	Yes
Wall mountable	Yes
Performance	
Fanless	Yes
Power	
Power source	DC
Power supply included	Yes
DC input voltage	53.5 V
Input current	2.43 A
Power over Ethernet (PoE)	
Power over Ethernet (PoE)	Yes
Power over Ethernet plus (PoE+) ports quantity	8
Power over Ethernet (PoE) power per port	30 W
Total Power over Ethernet (PoE) budget	123 W
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	
Width	209 mm
Depth	126 mm
Height	26 mm
Packaging content	
Cables included	AC

User guide	Yes
------------	-----

Packaging data

Package type	Box
--------------	-----

Certificates

Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
-------------------------	---

Matmenys ir svoris

Matmenys (I × P × A)	25,00cm × 7,00cm × 32,00cm
----------------------	----------------------------

Svoris	1,60kg
--------	--------