

ACT 25 meters DisplayPort 1.4 Active Optical Cable 8K with detachable connector

Gamintojas: **ACT** · Modelis: **AK4153** · EAN: **8716065483277** · Prekės kodas: **740608**



161,90 €

Kaina su PVM

Be PVM: **133,80 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ The solution for 8K @ 60Hz over long distances without data loss
- ✓ Detachable connector for safe and easy installation
- ✓ Ultra slim and flexible, easy to pull through both narrow electrical conduits and plenum spaces
- ✓ 32.4Gbps bandwidth to handle 8K @ 60Hz 4:4:4
- ✓ Kevlar protected fiber, aluminium foiled shielding
- ✓ Suitable for sensitive applications due to low RFI / EMI
- ✓ Hybrid fiber/copper design requires no extra power
- ✓ Supports HDR / HDCP 2.2 / EDID / DDC / CEC
- ✓ Available up to 30 meters



Aprašymas

The ACT AOC 8K DisplayPort cable is made of copper and fiber to connect different devices over long distances up to 30 m without the loss of data. The Active Optical Cable has a bandwidth of 32.4Gbps 4:4:4 to handle the resolution of 7680x4320 (8K) @ 60Hz. The cable is supplied on a coil and comes with a detachable plug for easy installation through electrical conduits and plenum spaces. Additionally, the cable supports: HDR, HDCP 2.2, EDID, DDC, CEC, Multi-channel audio, Dolby True HD, DTS-HD Master Audio and ARC.

AOC: copper and glass for longer distances and the best video and audio quality

The AOC (Active Optical Cable) cable is made of copper and fiber for transferring 8K @ 60Hz over long distances up to 100m without data loss. It has

a bandwidth of 32.4Gbps 4:4:4. The cable has a Kevlar protected fiber, an aluminium foiled shielding and is suitable for sensitive applications due to low RFI/EMI. The cable is supplied on a coil.

Resolution of 8K @ 60Hz

This 8K DisplayPort cable supports a resolution of 7680x4320 @ 60Hz. Furthermore, the cable supports High Dynamic Range (HDR) video for expansive contrast ratio and color accuracy, HDCP 2.2, EDID, DDC, CEC, Multi-channel audio, Dolby True HD, DTS-HD Master Audio and ARC.

Ultra slim flexible cable with detachable connector for easy installation

The flexible cable is ultra slim and can be easily pulled through narrow electrical conduits and plenum spaces. Simply disconnect the detachable plug from the cable. Pull this flexible cable through a conduit and reconnect the detachable plug to the cable.

Additional features

It is important that the cable is connected correctly. The ACT AOC DisplayPort cable is marked to ensure easy identification of the source and display connector.

Techninė specifikacija

Specifications	
Sandėlio grupė	> Kabel und Adapter > Displayport Kabel und Adapter [+1987][-131]
Features	
Cable length	25 m
Connector 1	DisplayPort
Connector 2	DisplayPort
Connector 1 gender	Male
Connector 2 gender	Male
Maximum resolution	7680 x 4320 pixels
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Copper
DisplayPort version	1.4
Supported graphics resolutions	7680 x 4320
HDCP	Yes
Jacket material	Polyvinyl chloride (PVC)
Bandwidth	32400 MB/s
Colour sampling	4:4:4
Weight & dimensions	
Cable diameter	4.5 mm
Logistics data	
Harmonized System (HS) code	84733080

Matmenys ir svoris

Svoris	1,00kg
--------	--------