

Ernitec 0070-08131 security camera IP security camera Indoor & outdoor 2592 x 1944 pixels

Gamintojas: **ERNITEC** · Modelis: **0070-08131** · EAN: **5715328154964** · Prekės kodas: **741703**



263,90 €

Kaina su PVM

Be PVM: **218,10 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 1/2.8" STARVISTM CMOS
- ✓ 2592×1944 @ 25/30fps (5MP)
- ✓ 2.8mm fixed lens
- ✓ Support face, human, vehicle detection and capture
- ✓ Intelligent analysis: intrusion, single / double line crossing, loitering, wrong-way detection, illegal parking, smart motion detection, and people counting
- ✓ True WDR, 3D DNR, ROI, Defog, HLC
- ✓ Smart IR distance up to 30 m
- ✓ Built-in microphone, 1/1 audio input/output, 1/1 alarm input/output
- ✓ Built-in micro SD card slot (up to 1 TB)
- ✓ IP66 Power Supply DC12V / POE (IEEE 802.3af)
- ✓ 5 Year Warranty



Aprašymas

Wolf-BX-215IR

Techninė specifikacija

Specifications

Sandėlio grupė

> Netzwerk > Netzwerkkamera und Zubehör [+1996][-361]

Performance

Type	IP security camera
Placement supported	Indoor & outdoor
Connectivity technology	Wired
Wide Dynamic Range (WDR)	Yes
Day/night mode	Yes
Alarm input/output	Yes

Design

Product colour	White
Housing material	Metal
International Protection (IP) code	IP66
Weatherproof	Yes

Camera

Lens viewing angle, horizontal	939°
Lens viewing angle, vertical	68.7°

Lens system

Fixed focus	Yes
Fixed focal length	2.8 mm

Night vision

Night vision	Yes
Night vision distance	30 m
LED type	IR

Video

Maximum resolution	2592 x 1944 pixels
Total megapixels	5 MP
Video intelligence analytic	Yes

Audio

Audio input channels	1.0 channels
Audio output channels	1.0 channels
Built-in microphone	Yes

Network

Ethernet LAN	Yes
Wi-Fi	No

Storage

Card reader integrated	Yes
Maximum memory card size	1 TB

Security

Alarm input channels	1
Alarm output channels	1

Management features

Reset button	Yes
--------------	-----

Power

Power source type	PoE
Power consumption (max)	6 W
Power over Ethernet (PoE)	Yes

Operational conditions

Operating relative humidity (H-H)	0 - 90%
-----------------------------------	---------

Weight & dimensions

Weight	550 g
--------	-------

Packaging data

Package weight	1.25 kg
----------------	---------

Other features

Dimensions (WxDxH)	118.2 x 118.2 x 93.9 mm
Warranty period	5 year(s)

Technical details

Voltage	12 V
---------	------

Matmenys ir svoris

Svoris	0,55kg
--------	--------