Axagon RVC-DPC USB-C -> DisplayPort cable 1.8m 4K/60Hz

Gamintojas: **AXAGON** · Modelis: **RVC-DPC** · EAN: **8595247905314** · Prekės kodas: **741994**



24.90€

Kaina su PVM

Be PVM: **20.58€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 1.8 m
- ✓ USB Type-C Straight Male
- ✓ DisplayPort Straight Male
- ✓ 4096 x 2160 pixels 240 Hz
- ✓ Black
- ✓ 1 pc(s)



















Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Aprašymas

Active USB-C -> DisplayPort cable - adapter AXAGON RVC-DPC for connecting a DisplayPort monitor/TV/projector to a notebook or mobile phone using USB type C connector.

A hardware converter ensures quality image up to 4K/60Hz Ultra HD resolution without any installation. Video and audio transfer from a computer, laptop, phone or Apple MacBook will now be easy.

Compact dimensions provide the possibility to use the cable in insufficient space. The converter dimensions are almost identical to the standard cable connectors. You have an ideal solution - you don't need a cable and converter, with this active cable everything is integrated into one compact unit.

The cable is only oneway, i.e. USB-C to DP, not otherwise . A USB-C port with DisplayPort Alternate Mode (DP Alt Mode) support of a device with Thunderbolt 3 port is required for the cable to function properly.

Input:
• USB-C
• USB type C (M) male connector

Output:
• DisplayPort 1.2
• DP connector with latch (M) male
• connector latch control button

Supported resolutions:
• max. 4096 x 2160 (19:10) @60Hz DCI 4K
• 3840 x 2160 (16:9) @60Hz UHD-1 4K (UHDTV)
• 3840 x 1600 (21:9) UW 4K (Ultrawide 1600p)
• 3840 x 1200 (32:10) 29:9 4K (Super ultrawide 1200p)
• 3840 x 1080 (32:9) 32:9 4K (Super ultrawide 1080p)
• 3440 x 1440 (21:9) UWQHD (Ultrawide 1440p)
• 2560 x 2048 (5:4) QSXGA
• 2560 x 1920 (4:3)
• 2560 x 1600 (16:10) WQXGA
• 2560 x 1440 (16:9) QHD
• 2560 x 1080 (21:9) UWFHD (Ultrawide 1080p)
• 2048 x 1536 (4:3) QXGA
• 2048 x 1152 (16:9) QWXGA
• 1920 x 1440 (4:3)
• 1920 x 1200 (16:10) WUXGA
• 1920 x 1080 (16:9) Full HD/1080p
• 1856 x 1392 (4:3)
• 1792 x 1344 (4:3)
• 1680 x 1050 (16:10) WSXGA+
• 1600 x 1200 (4:3) UXGA
• 1600 x 900 (16:9) HD+
• 1536 x 864 (16:9)
• 1440 x 900 (16:10) WXGA+
• 1400 x 1050 (4:3) SXGA+
• 1366 x 768 (16:9) HD
• 1360 x 768 (16:9) HD

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

• 1280 x 1024 (5:4) SXGA
• 1280 x 960 (4:3) SXGA-
• 1280 x 800 (16:10) WXGA
• 1280 x 768 (5:3) WXGA
• 1280 x 720 (16:9) HD/WXGA/720p
• 1280 x 600
• 1152 x 864 (4:3) XGA+
• 1024 x 768 (4:3) XGA
• 800 x 600 (4:3) SVGA
* the resolution depends on monitor/TV/projector and graphics adapter parameters.

Other features:
• Supported modes: mirroring the desktop (default setting), extending the desktop,
• HPD (Hot-Plug-Detect) support - communication sequence controlling the connection/disconnection of the device while running,
• Support up to 8-channel sound - 96 kHz at 24 bits,
• Compliant with USB Type-C Cable and Connector Specification Revision 1.1 specification,
• Compliant with VESA DisplayPort Alt Mode on USB Type-C Standard Version 1.0 specification,
• Compliant with USB Device Class Definition for Billboard Devices Revision 1.0 specification,
• HDCP 2.2 (High-bandwidth Digital Content Protection) support - a mechanism used to protect the digital contents,
• Support of power saving modes with spinning down controlled by a source device (PC) and a viewing device (monitor/TV),
• Power supply via USB-C – no external power is needed,
• Dimensions of converter body 47 x 22 x 10 mm,
• Total length cable incl. connector 185 cm,
• Weight only 71 g,
• Operating temperature: 0 ~ 45°C,
• Storage temperature: -10 ~ 70°C.

Supported OSs:
• Microsoft Windows 10, macOS, Android and Chrome OS – updated.
• Compatibility depends on the operating system and device manufacturer support.

Package contains:
• USB-C > DP cable 1.8m length,
• printed multilingual manual CZ / DE / DK / ENG / ESP / FIN / FR / GR / HR / HU / IT / NL / PL / PT / RO / RU / SK / SWE / BG / CN / TR / ARA,
• packed in a cardboard box.

Techninė specifikacija

Features	
Cable length	1.8 m
Connector 1	USB Type-C
Connector 2	DisplayPort
Connector 1 gender	Male
Connector 2 gender	Male
Connector 1 form factor	Straight
Connector 2 form factor	Straight
HDCP	Yes

HDCP version	2.2
DisplayPort version	1.2
Maximum resolution	4096 x 2160 pixels
Maximum refresh rate	240 Hz
Refresh rate at maximum resolution	60 Hz
Product colour	Black
Plug and Play	Yes
Converter type	Active video converter
Country of origin	China
Windows operating systems supported	Yes
Mac operating systems supported	Yes
Other operating systems supported	Android
Certificates	
Compliance certificates	RoHS, CE
Certification	CE, RoHS
Weight & dimensions	
Weight	71 g
Packaging data	
Package width	180 mm
Package depth	90 mm
Package height	30 mm
Package weight	105 g
Package type	Box
Packaging content	
Quantity per pack	1 pc(s)
Manual	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	3.00cm × 9.00cm × 18.00cm
Svoris	0.07kg

Dokumentai ir vaizdo įrašai

› User manual

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Gamintojo ir saugos informacija

MANUFACTURER

RealQ, s.r.o.
Železná 663/5, 619 00 Brno-jih, CZ
axagon.eu

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt