

Equip DisplayPort 2.1 Cable, 3.0m, 16K/60Hz, 40Gbps

Gamintojas: **EQUIP** · Modelis: **119273** · EAN: **4015867239001** · Prekės kodas: **742217**



22,91 €

Kaina su PVM

Be PVM: **18,93 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ DisplayPort 2.1 Male to Male
- ✓ Supports video resolutions up to 16K/60Hz (with DSC)
- ✓ Gold Plated Connectors for high signal quality
- ✓ Downwards compatible to DisplayPort 1.4, 1.3, 1.2 and 1.1
- ✓ Transmission of audio and video signals
- ✓ Compliant with VESA standard for DisplayPort Cable
- ✓ Bandwidth up to 40Gbps
- ✓ Supports HDCP 1.4 2.2 and 2.3
- ✓ Supports HDR 10 and HDR10+ (High Dynamic Range)
- ✓ Supports DSC (Display Stream Compression)



Aprašymas

DisplayPort 2.1 is a cutting-edge video interface designed to meet the increasing demands for high-resolution, high-refresh rate displays in various applications, from gaming to professional content creation. With a maximum bandwidth of 40 Gbps, it significantly surpasses its predecessor, DisplayPort 1.4, enabling the transmission of multiple high-resolution video streams simultaneously. DisplayPort 2.1 supports resolutions up to 16K at 60Hz, and 8K at 120Hz, making it an ideal choice for ultra-high-definition displays.

With support for advanced features such as HDR and Display Stream Compression (DSC), this DisplayPort 2.1 cable delivers excellent performance and visual fidelity. Whether for high-end gaming setups or professional workstations, this cable is engineered to meet the demanding requirements of modern displays while maintaining a stylish and durable design.

Techninė specifikacija

Specifications	
Sandėlio grupė	> Kabel und Adapter > Displayport Kabel und Adapter [+1987][-131]
Features	
Cable length	3 m
Connector 1	DisplayPort
Connector 2	DisplayPort
Connector 1 gender	Male
Connector 2 gender	Male
Maximum resolution	15360 x 8640 pixels
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Gold
DisplayPort version	2.1
Supported graphics resolutions	3840 x 2160, 2560 x 1440, 5120 x 2880, 1920 x 1200 (WUXGA), 7680 x 4320, 10240 x 4320, 15360 x 8640
Maximum refresh rate	240 Hz
HDCP	Yes
HDCP version	2.3
Display Stream Compression (DSC)	Yes
High Dynamic Range (HDR) supported	Yes
Bandwidth	40000 MB/s
Multi-Stream Transport (MST)	Yes
Colour sampling	4:2:2, 4:4:4, 4:2:0
Cable type	Round cable
Certificates	
Compliance certificates	RoHS
Weight & dimensions	
Weight	151 g
Packaging data	
Package width	175 mm
Package depth	275 mm
Package height	28 mm

Package weight	158 g
----------------	-------

Package type	Polybag
--------------	---------

Logistics data

Harmonized System (HS) code	8544421000
-----------------------------	------------

Country of origin	China
-------------------	-------

Master (outer) case width	400 mm
---------------------------	--------

Master (outer) case length	300 mm
----------------------------	--------

Master (outer) case height	300 mm
----------------------------	--------

Master (outer) case gross weight	10.2 kg
----------------------------------	---------

Products per master (outer) case	60 pc(s)
----------------------------------	----------

Matmenys ir svoris

Svoris	0,14kg
--------	--------