

Lindy USB Type C to DisplayPort 8K60 Converter

Gamintojas: **LINDY** · Modelis: **43337** · EAN: **4002888433372** · Prekės kodas: **742775**



24,90 €

Kaina su PVM

Be PVM: **20,58 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Converts a USB Type C port to an 8K capable DisplayPort connection
- ✓ Supports resolutions up to 7680x4320@60Hz and 3840x2160@120Hz
- ✓ Requires DisplayPort 1.4 Alternate Mode support by the USB Port/Bus
- ✓ Plug and Play, no drivers required
- ✓ 2 year warranty



Aprašymas

The Lindy USB Type C to DP 1.4 Converter is a high performance solution, which allows users to easily add external video capabilities to a computer featuring the USB Type C port with support for DisplayPort 1.4 Alternate Mode. It supports video resolutions of 8K 7680x4320@60Hz and 4K120Hz*, making it the ideal tool for 8K game streaming or high resolution 8K video editing. Additional support for High-Dynamic Range ensures video content can be seen with enhanced brightness, superior contrasts and a much wider colour gamut, for more lifelike colour. HDCP 2.2 ensures issue-free playback of 8K Ultra HD movies and other 8K content.

The converter is powered by the USB Bus, therefore no external power supply is needed, saving space and time when connecting. The Type C connectors' reversible design means a connection can be found regardless of which way the cable is inserted into the port of a laptop, notebook or Macbook. With Plug and Play installation, this converter can be installed with minimum fuss, perfect for both professional and first time users.

*Please make sure that DSC v1.2a is supported on your devices

Techninė specifikacija

Specifications	
Sandėlio grupė	> Kabel und Adapter > Displayport Kabel und Adapter [+1987][-131]
Features	
Cable length	0.13 m
Connector 1	USB Type-C
Connector 2	DisplayPort
Connector 1 gender	Male
Connector 2 gender	Female
Connector 1 form factor	Straight
Connector 2 form factor	Straight
HDCP	Yes
HDCP version	2.2
DisplayPort version	1.4
USB Type-C DisplayPort Alternate Mode	Yes
Maximum resolution	7680 x 4320 pixels
Supported graphics resolutions	3840 x 2160
Bandwidth	4050 MB/s
Maximum refresh rate	120 Hz
Product colour	Black
Chipset	FL7102, TUSB544
Plug and Play	Yes
Operational conditions	
Operating temperature (T-T)	-20 - 40 °C
Storage temperature (T-T)	-40 - 80 °C
Operating relative humidity (H-H)	0 - 85%
Certificates	
Certification	CE, FCC, RoHS & REACH, CP65
Weight & dimensions	
Weight	27 g
Width	66.5 mm
Depth	33.5 mm

Height	7 mm
--------	------

Packaging data

Package width	174 mm
---------------	--------

Package depth	20 mm
---------------	-------

Package height	194 mm
----------------	--------

Package weight	32 g
----------------	------

Package type	Polybag
--------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------

Matmenys ir svoris

Svoris	0,03kg
--------	--------