

Imou Knight IP apsaugos kamera Lauke 3840 x 2160 pikseliai Lubos / siena

Gamintojas: **IMOU** · Modelis: **IPC-F88FIP-V2-0280B-imou** · EAN: **6971927232246** · Prekės kodas: **742785**



207,90 €

Kaina su PVM

Be PVM: **171,82 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Lauke IP apsaugos kamera
- ✓ CMOS 25,4 / 2,8 mm (1 / 2.8") 8 MP 3840 x 2160 pikseliai
- ✓ Vielinis ir Bevielis Ethernet LAN jungtis „Wi-Fi“
- ✓ Naktinis matymas
- ✓ Skaitmeninis priartinimas: 16x
- ✓ Lubos / siena Atsparus dulkiems, Atsparus vandeniui
- ✓ IP66 Neperpučiamas
- ✓ Balta
- ✓ 580 g



Aprašymas

Imou Knight - IP-Sicherheitskamera - Outdoor - Verkabelt - 600 lm - CE - FCC - Decke/Wand (IPC-F88FIP-V2-0280B-imou)

Techninė specifikacija

Performance	
Type	IP security camera
Placement supported	Outdoor
Connectivity technology	Wired & Wireless
Built-in light	Yes
Luminous flux	600 lm
Certification	CE, FCC
Design	
Mounting type	Ceiling/wall
Product colour	White
Housing material	Plastic
Protection features	Dust resistant, Water resistant
International Protection (IP) code	IP66
Weatherproof	Yes
Camera	
Lens viewing angle, horizontal	107°
Lens viewing angle, vertical	56°
Lens viewing angle, diagonal	127°
Image sensor	
Sensor type	CMOS
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")
Progressive scan	Yes
Lens system	
Zoom capability	Yes
Digital zoom	16x
Fixed focal length	2.8 mm
Night vision	
Night vision	Yes
B/W night vision distance	30 m
Colour night vision distance	20 m
Video	
Maximum resolution	3840 x 2160 pixels
Total megapixels	8 MP

Video compression formats	H.264, H.265
Frame rate	15 fps
Audio	
Built-in speaker(s)	Yes
Audio system	2-way
Built-in microphone	Yes
Network	
Ethernet LAN	Yes
Wi-Fi	Yes
Bluetooth	No
Ethernet interface type	Fast Ethernet
Supported network protocols	ONVIF
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Frequency band	2.5/5 GHz
Storage	
Built-in HDD	No
Compatible memory cards	MicroSD (TransFlash)
Maximum memory card size	256 GB
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
Security	
Built-in siren	Yes
Siren noise level	110 dB
Video motion detection	Yes
Alert notification type	Text alert message
Configurable region	Yes
Configurable tripwire	Yes
Management features	
Reset button	Yes
Power	
Power source type	DC
Power consumption (typical)	9.2 W
DC output voltage	12
DC output current	1 A

Operational conditions

Operating temperature (T-T)	-30 - 60 °C
Operating relative humidity (H-H)	0 - 95%
Storage relative humidity (H-H)	0 - 95%

System requirements

Mobile operating systems supported	Android, iOS
------------------------------------	--------------

Weight & dimensions

Width	83.9 mm
Depth	128.9 mm
Height	71.2 mm
Weight	580 g

Packaging content

Number of cameras	1
Mounting kit	Yes
Mounting brackets included	Yes
Screws included	Yes
Manual	Yes
AC adapter included	Yes

Matmenys ir svoris

Svoris	0,95kg
--------	--------

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Hangzhou Huacheng Network Technology Co., Ltd.Liye Road 582, Hangzhou, CN
imou.com

ATSAKINGAS ASMUO ES

Imou Network Technology B.V.Lange Kleiweg 6, 2288 GK Rijswijk, NL
imou.com

PLATINTOJAS

MB KOMPIUTERIŲ GURUV. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt