

LevelOne GEMINI Fixed IP Network Camera, 2-Megapixel, H.265, 802.3af PoE, IR LEDs, Indoor/Outdoor

Gamintojas: **LEVELONE** · Modelis: **FCS-5201** · EAN: **4015867207734** · Prekės kodas: **743448**



147,90 €

Kaina su PVM

Be PVM: **122,23 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Features WDR (Wide Dynamic Range) to enhance visibility under extremely bright or dark environments
- ✓ Built-in infrared LEDs for night viewing up to 30m
- ✓ Removable IR-cut filter for day and night surveillance
- ✓ 2-Megapixel (1920 x 1080) high-definition resolution
- ✓ Video compression: H.264, H.265, MJPEG
- ✓ Supports IPv4/IPv6 network operation



Aprašymas

The LevelOne FCS-5201 is a fixed-position outdoor camera offering an ultra-reliable, cost-effective solution for outdoor IP surveillance networks, and is rated at IP67 to operate within rain, extreme heat, snow, dust and humid conditions. Offering clear, sharp imagery with 2-Megapixel resolution and the versatility of 802.3af standard PoE to transfer power and data via a single Cat.5 cable, the LevelOne FCS-5201 should be an essential part of any security deployment that requires smart, reliable outdoor cameras.

Techninė specifikacija

Specifications

Sandėlio grupė

> Netzwerk > Netzwerkkamera und Zubehör [+1996][-361]

Performance

Type	IP security camera
Placement supported	Indoor & outdoor
Connectivity technology	Wired
Wide Dynamic Range (WDR)	Yes
Infrared (IR) cut-off filter	Yes
Certification	CE/FCC

Design

Mounting type	Ceiling/wall
Product colour	White
Form factor	Bullet
LED indicators	Power
International Protection (IP) code	IP67
Weatherproof	Yes
Country of origin	China

Camera

Field of view (FOV) angle	83.6°
Camera shutter speed	1/3 - 1/100000 s

Image sensor

Sensor type	CMOS
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")

Lens system

Zoom capability	Yes
Digital zoom	8x
Focus adjustment	2
Fixed focal length	4 mm

Night vision

Night vision	Yes
Night vision distance	30 m
LED type	IR

Video

Maximum resolution	1920 x 1080 pixels
Total megapixels	2 MP

Video formats supported	H.264, H.265, M-JPEG
Supported graphics resolutions	320 x 240, 640 x 360, 640 x 480 (VGA), 1280 x 720 (HD 720), 1280 x 960, 1920 x 1080 (HD 1080)
Frame rate	60 fps
Noise reduction	Yes
Noise reduction technology	3D noise reduction
Gain control type	Auto
Image quality adjustment	Brightness, Contrast, Saturation, Sharpness
Privacy masking	Yes
Bit rate	32 Kbps - 8 Mbps
Back Light Compensation (BLC)	Yes
Region of Interest (ROI) encoding	Yes
Network	
Ethernet LAN	Yes
Wi-Fi	No
Bluetooth	No
Ethernet interface type	Fast Ethernet
Networking standards	IEEE 802.3, IEEE 802.3af, IEEE 802.3u
Supported network protocols	IPv4/v6, TCP/IP, UDP, RTP, RTSP, HTTP, HTTPS, ICMP, FTP, SMTP, DHCP, PPPoE, UPnP, IGMP, SNMP, QoS
Number of users	32 user(s)
User access level	Administrator, Operator, User
Quality of Service (QoS) support	Yes
Live view	Yes
Number of simultaneous live view channels	6 channels
Storage	
Built-in HDD	No
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
Security	
Password protection	Yes
Video motion detection	Yes
Active tampering alarm	Yes
Anti-flicker	Yes
Heartbeat	Yes

Mirror	Yes
Digital watermark	Yes
Management features	
Reset button	Yes
Power	
Power source type	DC, PoE
Power consumption (max)	5 W
Power consumption (Power over Ethernet (PoE))	7 W
Operational conditions	
Operating temperature (T-T)	-30 - 50 °C
Operating relative humidity (H-H)	0 - 95%
Weight & dimensions	
Width	69.1 mm
Depth	66 mm
Height	172.7 mm
Weight	280 g
Packaging data	
Package width	121 mm
Package depth	118 mm
Package height	216 mm
Package weight	530 g
Package type	Box
Packaging content	
Number of cameras	1
Manual	Yes
Resource CD	Yes
Other features	
Browser supported	IIE7+, Chrome18-42, Firefox5.0+, Safari5.02+
Logistics data	
Harmonized System (HS) code	85258900
Master (outer) case width	245 mm
Master (outer) case length	360 mm
Master (outer) case height	650 mm
Master (outer) case gross weight	9.6 kg

Products per master (outer) case	18 pc(s)
----------------------------------	----------

Matmenys ir svoris

Svoris	0,10kg
--------	--------