

Yealink RCH240 Managed L2+ Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Black

Gamintojas: **YEALINK** · Modelis: **1303228** · EAN: **6938818322226** · Prekės kodas: **743931**



649,90 €

Kaina su PVM

Be PVM: **537,11 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Yealink L2+ Managed AV Switch
- ✓ Supports 802.3af/at PoE, 130W/370W power supply
- ✓ EEE function is disabled by default
- ✓ Supports multicast/IGMP snooping and querying
- ✓ Compatible with Yealink MVC / VCH
- ✓ Supports Dante and AES67 protocols
- ✓ Plug-and-play for Yealink AV over IP devices, no configuration required

Aprašymas

The Yealink RCH240 is a 24-port L2+ web-based managed AV switch designed for high-performance AV over IP environments. It is optimized for Yealink AV protocols as well as industry standards such as Dante and AES67, ensuring seamless, high-bandwidth connectivity for Yealink MTR systems, cameras, Pro Audio equipment, and Yealink AVoIP encoders/decoders (e.g., EN300 / DE300). With a 370W PoE+ power budget, 4 SFP fiber uplinks, and advanced multicast optimization (IGMP Snooping, Fast Leave), the RCH240 delivers the capacity, reliability, and management flexibility required in modern meeting rooms and professional AV deployments.

Techninė specifikacija

Specifications

Sandėlio grupė

> Netzwerk > Switches [+1607][-273]

Management features

Switch type

Managed

Switch layer

L2+

Ports & interfaces

Basic switching RJ-45 Ethernet ports quantity	24
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
SFP module slots quantity	4

Network

10G support	No
-------------	----

Data transmission

Switching capacity	56 Gbit/s
Forwarding rate	42 Mpps

Design

Rack mounting	Yes
Product colour	Black

Power

Power source	AC/PoE
Power supply included	Yes
AC input voltage	100 - 240 V
AC input frequency	50 Hz
Power consumption (max)	17 W

Power over Ethernet (PoE)

Power over Ethernet (PoE)	Yes
Total Power over Ethernet (PoE) budget	370 W

Weight & dimensions

Width	440 mm
Depth	208 mm
Height	44 mm
Weight	3.58 kg

Packaging data

Package width	555 mm
Package depth	295 mm
Package height	88 mm
Package weight	3.87 kg

Logistics data

Country of origin	China
-------------------	-------

Matmenys ir svoris

Svoris

4,26kg