



Switch TP-LINK 8x10Base-T 100Base-TX 1000Base-T TL- SG1008P



Modelis: TL-SG1008P

Gamintojas: TP-LINK

EAN: 6935364021160

Prekės kodas: 74394

50.99€

PoE Switches for Your Ultra Convenience

8-Port Gigabit Desktop Switch with 4-Port PoE

Power over Ethernet

4 of the 5 Auto-Negotiation RJ45 ports (Port 1 to Port 4) of the switch support Power over Ethernet (PoE) function. These PoE ports can automatically detect and supply power with those IEEE 802.3af compliant Powered Devices (PDs).

Intelligent Power Management

When total power consumption exceeds 55W, the intelligent power management will cut the lower priority port power off to ensure the high priority port's power supply and protect the device from

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

power overload operation.

Sturdy Metal Casing

Sturdy, compact metal casing and shielded RJ45 ports, with desktop, to meet your needs in any environment. Besides, fanless design ensures quiet operation.

- 8 10/100/1000Mbps RJ45 ports
- With four PoE ports, transfers data and power on one single cable
- Working with IEEE 802.3af compliant PDs, expands home and office network
- 802.1p/DSCP QoS enable smooth latency-sensitive traffic
- Supports PoE power up to 15.4W for each PoE port
- Supports PoE power up to 55W for all PoE ports
- Requires no configuration and installation

Summary: TP-Link 8-Port Gigabit Desktop PoE Switch with 4-Port. Switch type: Managed. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 8. MAC address table: 4000 entries, Switching capacity: 16 Gbit/s. Networking standards: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. DC input voltage: 53.5 V. Power connector: DC-in jack. Power over Ethernet (PoE) | Vendor Homepage: <https://www.tp-link.com/uk/service-provider/unmanaged-switch/tl-sg1008p/> | Quality of Service (QoS) support: No | Switch type: Managed | Basic switching RJ-45 Ethernet ports quantity: 8 | Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000) | Gigabit Ethernet (copper) ports quantity: 8 | Power connector: DC-in jack | 10G support: No | Auto MDI/MDI-X: Yes | Auto-negotiation: Yes | Cable types supported: Cat3/Cat4/Cat5/Cat5e | Copper ethernet cabling technology: 1000BASE-T/100BASE-TX/10BASE-T | Flow control support: Yes | MAC address auto-aging supported: Yes | MAC address auto-learning supported: Yes | Networking standards: IEEE 802.1p/IEEE 802.3/IEEE 802.3ab/IEEE 802.3af/IEEE 802.3i/IEEE 802.3u/IEEE 802.3x | Forwarding rate: 11.904 | Jumbo frames: 16000 | Jumbo frames support: Yes | MAC address table: 4000 | Store-and-forward: Yes | Switching capacity: 16 | IGMP snooping: Yes | Housing material: Metal | LED indicators: Yes | Product colour: Grey | Rack mounting: No | Stackable: No | Fanless: Yes | Maximum cable length: 100 | AC input frequency: 50/60 | AC input voltage: 100 - 240 | DC input voltage: 53.5 | Input current: 1.31 | Number of power supply units: 1 | Power consumption (max): 75 | Power source: DC/PoE | Power supply included: Yes | Power over Ethernet (PoE): Yes | Power over Ethernet (PoE) ports quantity: 4 | Total Power over Ethernet (PoE) budget: 64 | Heat dissipation: 225.75 | Operating

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

relative humidity (H-H): 10 - 90 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -40 - 70 | Depth: 98 | Height: 27 | Width: 171 | Cables included: AC | User guide: Yes | Package depth: 280 | Package height: 68 | Package type: Box | Package weight: 900 | Package width: 223 | Sustainability compliance: Yes | Compliance certificates: CE/Federal Communications Commission (FCC)/RoHS | Units per Pallet: 0 | Units per Shipping Box: 12 | Unit Calculated Volume: 0.005384 | Unit Calculated Weight: 1.08

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903