

Equip USB 4 Gen 3 C to C Cable, M/M, 2.0m, PD3.1 240W, 8K/60Hz, 40Gbps, Black

Gamintojas: **EQUIP** · Modelis: **128383** · EAN: **4015867235812** · Prekės kodas: **744168**



29,90 €

Kaina su PVM

Be PVM: 24,71 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ USB 4 Gen 3
- ✓ USB-C to C Male (connector Thunderbolt 3/4 Compatible)
- ✓ 40Gbps data transfer rate
- ✓ with E-mark Chipset
- ✓ Power Delivery 3.1 support up to 48V/5A, Max. 240W
- ✓ Support of USB Power Delivery (PD)
- ✓ Resolution: up to 8K@60 Hz
- ✓ Supports HDR10
- ✓ Supports HDCP 1.4 and 2.3
- ✓ Supports PCI Express 3.0 protocol



Aprašymas

The equip 128383 USB 4 Gen 3 C to C cable is an advanced solution for high-speed data transfer and power delivery. Built with USB 4 technology, this cable offers lightning-fast data transfer rates of up to 40 Gbps, enabling rapid file transfers and seamless multimedia streaming.

It supports versatile connectivity between USB-C devices, including laptops, tablets, smartphones, and external storage devices. With Power Delivery 3.1 (PD 3.1) technology with E-mark chipset, this cable can provide up to 240W of power, making it suitable for charging power-hungry devices like laptops and gaming consoles. Its reversible design ensures easy and hassle-free plug-in, eliminating the need for specific orientation.

This USB 4 Gen 3 C to C cable offers exceptional performance, robust power delivery, and universal compatibility, making it an ideal choice for high-

speed data transfer and fast charging requirements.

Techninė specifikacija

Specifications	
Sandėlio grupė	USB [+3386][-35]
Features	
USB version	USB4 Gen 3x2
Connector 1	USB C
Connector 2	USB C
Connector 1 gender	Female
Connector 2 gender	Male
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector material	Aluminium
Cable jacket material	Polyvinyl chloride (PVC)
Cable jacket type	Braided
Conductor material	Copper
Maximum data transfer rate	40000 Mbit/s
Maximum data transfer rate	40 Gbit/s
Cable type	Round cable
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3.1
USB Power Delivery up to	240 W
USB Type-C DisplayPort Alternate Mode	Yes
Maximum resolution	7680 x 4320 pixels
Maximum refresh rate	60 Hz
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
HDCP	Yes
HDCP version	1.4/2.3
Power	
Output voltage	48 V
Output current (max)	5 A
Weight & dimensions	

Cable length	2 m
Weight	79 g
Packaging data	
Package type	Polybag
Package width	175 mm
Package depth	275 mm
Package height	10 mm
Package weight	86 g
Packaging content	
Quantity per pack	1 pc(s)
Certificates	
Compliance certificates	REACH, RoHS
Logistics data	
Products per master (outer) case	100 pc(s)
Master (outer) case width	390 mm
Master (outer) case length	330 mm
Master (outer) case height	280 mm
Master (outer) case gross weight	9.4 kg
Harmonized System (HS) code	8544421900
Country of origin	China
Sustainability	
Sustainability compliance	Yes
Matmenys ir svoris	
Svoris	0,09kg