

Equip USB 3.2 Gen 2x2 C to C U plug Cable, 1.0m, Black, M/M, PD240W, 4K/60Hz, 20Gbps

Gamintojas: **EQUIP** · Modelis: **128421** · EAN: **4015867237687** · Prekės kodas: **744170**



21,90 €

Kaina su PVM

Be PVM: 18,10 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 20Gbps Data Transfer rate
- ✓ Nickel plated
- ✓ With E-mark chipset
- ✓ PD3.1 28V/5A charging (MaX. 240W)
- ✓ Resolution: up to 4K@60 Hz
- ✓ Jacket: Premium braided Cotton mesh
- ✓ Double shielding for error-free data transfer
- ✓ Aluminum Casing



Aprašymas

The Equip 128421 USB 3.2 Gen 2x2 C to C U Plug Cable is a high-performance, 1.0 meter long cable designed for superior data transfer and power delivery. With its sleek black design, this male-to-male cable supports up to 20Gbps data transfer rates, ensuring quick and efficient file transfers.

It's supports 4K/60Hz video output, making it ideal for high-resolution displays. Additionally, the cable features Power Delivery (PD) 240W, allowing for fast and powerful charging of compatible devices. This versatile cable is perfect for users seeking robust connectivity solutions for both professional and personal use.

Techninė specifikacija

Specifications

Sandėlio grupė	USB [+3386][[-35]
----------------	-------------------

Features

USB version	USB4 Gen 2x2
Connector 1	USB C
Connector 2	USB C
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Silver
Connector 1 form factor	Straight
Connector 2 form factor	Angled
Connector contacts plating	Nickel
Cable jacket material	Polyvinyl chloride (PVC)
Cable jacket type	Braided
Conductor material	Copper
Connector shield material	Aluminium
Maximum data transfer rate	20 Gbit/s
Cable type	Round cable
Plug and Play	Yes
Fast charging	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3.1
USB Power Delivery up to	240 W
USB Type-C DisplayPort Alternate Mode	Yes
Maximum resolution	3840 x 2160 pixels
Maximum refresh rate	240 Hz
High Dynamic Range (HDR) supported	Yes
HDCP	Yes
HDCP version	2.2

Weight & dimensions

Cable length	1 m
Weight	42 g

Packaging data

Package type	Polybag
--------------	---------

Package width	100 mm
Package depth	175 mm
Package height	20 mm
Package weight	48 g
Packaging content	
Quantity per pack	1 pc(s)
Certificates	
Compliance certificates	CE, RoHS
Logistics data	
Quantity per master (outer) case	200 pc(s)
Master (outer) case width	490 mm
Master (outer) case length	300 mm
Master (outer) case height	280 mm
Master (outer) case gross weight	10.4 kg
Harmonized System (HS) code	8544421900
Country of origin	China