

Equip 128410 USB cable USB4 Gen 3x2 0.13 m USB C Black

Gamintojas: **EQUIP** · Modelis: **128410** · EAN: **4015867241189** · Prekės kodas: **744183**



14,90 €

Kaina su PVM

Be PVM: 12,31 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ USB 4 Gen 3
- ✓ USB-C-C Male Compatible TB3 & TB4)
- ✓ 40Gbps data transfer rate
- ✓ With E-mark Chipset
- ✓ Resolution: up to 8K@60 Hz
- ✓ Support DP Alt Mode
- ✓ Support of USB Power Delivery (PD) 240W
- ✓ Gold Plated Connectors for high signal quality
- ✓ Double shielding for error-free data transfer
- ✓ Flat ribbon cable



Aprašymas

The Equip 128410 USB4 Gen 3 C to C Flat Cable. Engineered for power users, this advanced cable delivers blazing-fast data transfer rates up to 40Gbps, perfect for ultra-high-speed file transfers, seamless video streaming, and high-bandwidth device communication. It supports 8K/60Hz video output, enabling crystal-clear resolution for external monitors, professional displays, and immersive multimedia setups.

Built for modern power demands, this cable offers Power Delivery up to 240W (48V/5A)—ideal for charging high-performance laptops, docking stations, and power-hungry USB-C devices. The flat, tangle-free design ensures maximum portability and durability, making it the perfect companion for home, office, or travel use.

Designed with full USB4 backward compatibility, it supports Thunderbolt 3, USB 3.2, and USB 2.0 protocols for unmatched flexibility across devices. Whether you're connecting to a workstation, gaming rig, or USB-C monitor, this cable ensures flawless performance and future-ready reliability.

Techninė specifikacija

Specifications	
Sandėlio grupė	USB [+3386][-.35]
Features	
USB version	USB4 Gen 3x2
Connector 1	USB C
Connector 2	USB C
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Gold
Magnetically shielded	No
Cable jacket material	Polyvinyl chloride (PVC)
Conductor material	Copper
Maximum data transfer rate	40 Gbit/s
Cable type	Flat cable
Plug and Play	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	240 W
Weight & dimensions	
Cable length	0.13 m
Width	10 mm
Depth	6 mm
Height	130 mm
Weight	6 g
Packaging data	
Package width	100 mm
Package depth	175 mm
Package height	0.1 mm
Package weight	8.5 g
Packaging content	
Quantity per pack	1 pc(s)

Logistics data

Country of origin	China
-------------------	-------

Matmenys ir svoris

Svoris	0,01kg
--------	--------