

Lindy 73413 mobile device charger Universal White AC Fast charging Indoor

Gamintojas: **LINDY** · Modelis: **73413** · EAN: **4002888734134** · Prekės kodas: **744287**



16,90 €

Kaina su PVM

Be PVM: **13,97 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Charger compatibility: Universal
- ✓ Charger type: Indoor
- ✓ Power source type: AC
- ✓ White Housing material: Acrylonitrile butadiene styrene (ABS), Polycarbonate (PC)
- ✓ Fast charging Over current, Over voltage, Overheating, Short circuit
- ✓ 100 - 240 V 50 - 60 Hz Maximum output voltage: 12 V



Aprašymas

Lindy 73413. Aufladetyp: Drinnen, Energiequelle: AC, Aufladekompatibilität: Universal. Eingangsspannung: 100 - 240 V, Maximale Ausgangsspannung: 12 V, AC-Adapter Ausgangsstrom: 3 A. Anzahl USB 2.0 Anschlüsse: 1, USB Typ-C Anzahl Anschlüsse: 1, Schnellladung, Energieschutzeigenschaften: Überstrom, Überspannung, Überhitzung, Kurzschluß. Produktfarbe: Weiß

Techninė specifikacija

Specifications

Sandėlio grupė

USB [+3386][-35]

Performance

Charger type	Indoor
Charger compatibility	Universal
Power source type	AC
USB 2.0 ports quantity	1
USB Type-C ports quantity	1
Fast charging	Yes
Fast charging technology	Adaptive Fast Charging, Power Delivery
Sockets quantity	2
Socket type	Type C (Europlug)
Number of outputs	2 outputs
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	20 W
Power protection features	Over current, Over voltage, Overheating, Short circuit

Design

Product colour	White
Housing material	Acrylonitrile butadiene styrene (ABS), Polycarbonate (PC)
Connector material	Copper

Power

Input voltage	100 - 240 V
Input frequency	50 - 60 Hz
Input current	0.4 A
Maximum output voltage	12 V
Minimum output voltage	5 V
Output voltage accuracy ($\pm$)	5%
AC adapter power	20 W
AC adapter output current	3 A
Port 1 output power	18 W
Port 2 output power	20 W
Output current (5V)	3 A
Output current (9V)	2 A
Output current (12V)	1.5 A
Power consumption (no load)	0.1 W
Average active efficiency	5V 81.39%, 9V 85.48%, 12V 85.48%
Efficiency at low load (10%)	Yes

Power plug type	Type C
Weight & dimensions	
Width	42.6 mm
Depth	28.8 mm
Height	41 mm
Weight	50 g
Packaging data	
Package width	81 mm
Package depth	31.5 mm
Package height	120 mm
Package weight	75 g
Package type	Carton
Operational conditions	
Operating temperature (T-T)	0 - 25 °C
Storage temperature (T-T)	-20 - 70 °C
Operating relative humidity (H-H)	0 - 70%
Storage relative humidity (H-H)	0 - 80%
Packaging content	
AC adapter included	Yes
Manual	Yes
Certificates	
Compliance certificates	CE, REACH, RoHS
Matmenys ir svoris	
Svoris	0,07kg