



Switch TP-LINK 5x10Base-T 100Base-TX PoE ports 4 TL- SF1005LP



Modelis: TL-SF1005LP

Gamintojas: TP-LINK

EAN: 6935364052782

Prekės kodas: 74437

30.99€

Professional Fast Ethernet Switch with 4 PoE Ports

Plug and Play, with PoE Transmission for Surveillance up to 250 m

TL-SF1005LP

Dedicated 4-Port PoE Switch (41 W Budget) for Numerous Applications

Compliance with the 802.3af PoE standard supports up to 15.4 W on each PoE port. The total 41 W PoE power budget* for the 4× PoE ports opens up a wide range of applications, such as surveillance for offices, dormitories, and small businesses. It is fully compatible with IP cameras, access points, IP phones, computers, printers, and more.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Ideal for IP Surveillance

—Up to 250 m Transmissions

With extend mode, the PoE transmission distance reaches up to 250 m**—perfect for IP Camera deployment in large areas.

The speed of the ports in extend mode will downgrade to 10 Mbps. The actual transmission distance may vary due to power consumption of PoE-powered devices or the cable quality and type.

Priority Video

Quality Guaranteed

Quality of sensitive applications like video monitoring in critical business areas is guaranteed by offering higher priority options for ports 1-2 when one-touch Priority Mode is on.

Intelligent Power Management

When total power consumption exceeds 41 W, the intelligent power management will cut the lower priority port power. This ensures the high priority port's power supply and protects the device from power overload. It also automatically detects and provides the required power for your PoE devices while protecting your PoE and non-PoE equipment from being damaged.

Durable Metal Casing

The interior components of TL-SF1005LP are protected by high-quality metal casing to ensure a long product life. Having passed an array of stringent reliability tests, TL-SF1005LP delivers switching performance you can depend on.

- 5× 10/100 Mbps RJ45 ports
- 4× PoE ports transfer data and power on individual cables
- Works with IEEE 802.3af compliant PDs
- Up to 250 m data and power transmitting range under Extend Mode**
- Priority Mode ensures high priority of ports 1-2 to guarantee the quality of sensitive application
- Supports PoE Power up to 41 W for all PoE ports*
- Plug and play with no configuration required

Summary: TP-Link 5-Port 10/100Mbps Desktop Switch with 4-Port PoE. Switch type: Unmanaged.

Basic switching RJ-45 Ethernet ports type: Fast Ethernet (10/100), Basic switching RJ-45 Ethernet

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

ports quantity: 5. Full duplex. MAC address table: 2000 entries, Switching capacity: 1 Gbit/s. Networking standards: IEEE 802.3af, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Power over Ethernet (PoE) | Vendor Homepage: <https://www.tp-link.com/uk/business-networking/unmanaged-switch/tl-sf1005lp/#overview> | Switch type: Unmanaged | Basic switching RJ-45 Ethernet ports quantity: 5 | Basic switching RJ-45 Ethernet ports type: Fast Ethernet (10/100) | 10G support: No | Auto MDI/MDI-X: Yes | Auto-negotiation: Yes | Cable types supported: Cat3/Cat4/Cat5/Cat5e | Copper ethernet cabling technology: 100BASE-TX/10BASE-T | Flow control support: Yes | Full duplex: Yes | Half duplex: Yes | MAC address auto-aging supported: Yes | Networking standards: IEEE 802.3af/IEEE 802.3i/IEEE 802.3u/IEEE 802.3x | Forwarding rate: 0.744 | Jumbo frames: 2000 | Jumbo frames support: Yes | MAC address table: 2000 | Store-and-forward: Yes | Switching capacity: 1 | LED indicators: Yes | Product colour: Black | Rack mounting: No | Fanless: Yes | AC input frequency: 50 | AC input voltage: 220 | Input current: 0.81 | Input voltage: 53.5 | Power consumption (max): 47 | Power source: DC/PoE | Power supply included: Yes | Power over Ethernet (PoE): Yes | Power over Ethernet (PoE) ports quantity: 4 | Total Power over Ethernet (PoE) budget: 41 | Heat dissipation: 160.27 | Operating relative humidity (H-H): 10 - 90 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -40 - 70 | Depth: 98 | Height: 25 | Width: 100 | User guide: Yes | AC adapter included: Yes | Package depth: 196 | Package height: 121 | Package weight: 740 | Package width: 131 | Sustainability compliance: Yes | Compliance certificates: CE/Federal Communications Commission (FCC)/RoHS | Harmonized System (HS) code: 85176990 | Model: TL-SF1005LP | Units per Shipping Box: 1 | Unit Calculated Volume: 0.00325 | Unit Calculated Weight: 0.743

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903