

Lindy DST-Pro 101, USB-C Laptop Docking Station with 4K Support and 100W Power Supply

Gamintojas: **LINDY** · Modelis: **43378** · EAN: **4002888433785** · Prekės kodas: **746041**



187,90 €

Kaina su PVM

Be PVM: **155,29 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Connects a DisplayPort and/or up to 2 HDMI displays, USB peripherals and powers the laptop over a single cable
- ✓ Supports 4K 3840x2160 60Hz for a single or 2560x1440 60Hz for dual displays
- ✓ Integrates a 4 port USB SuperSpeed 5Gbps Hub (3x Type A, 1x Type C)
- ✓ Included 100W Power Supply to charge the laptop while using the DST-Pro 101
- ✓ 2-year warranty



Aprašymas

The DST-Pro 101 was designed with pros in mind, this product allows for easy, fast, and reliable charging of your device, ensuring you can perform power-hungry tasks with ease. Housed in a robust aluminium body, this dock has been constructed to provide elite performance.

Extended Displays

This docking station comes with HDMI and DisplayPort connections, all with 4k capability. With one extended display connected, you can expect Ultra HD 4K 60Hz. This product is also capable of supporting 2560x1440 60Hz for dual displays and 1620x1080 60Hz for triple display setups.

Multifunctional

Providing all the ports and card slot options you would need for a professional-grade workspace, this desktop delivers SuperSpeed USB ports as well as audio connectivity options. Through a single USB-C connection, access several USB Type A ports, one USB-C port, Card Readers (SD and Micro-SD), separate 3.5mm audio and microphone jacks, two HDMI ports, a DisplayPort and Gigabit Ethernet.

Powerful

With a 100W PSU (Power Supply Unit), this docking station has the capability to ensure your device is always fully charged and ready to deal with power-hungry, demanding tasks. Simply connect your docking station with one USB-C cable and be confident that your laptop is being charged whilst you work. This also leaves more available ports both on your device and docking station for connecting additional USB accessories and peripherals.

Plug-and-Play

This docking station does not require any driver installation. This allows for seamless large-scale implementation and a hassle-free experience.

Information about USB 3.0, 3.1 and 3.2

USB 3.0, USB 3.1 and USB 3.2 PCs, cables and devices are all compatible with each other, when using either a USB Type A or USB Type C host interface.

USB 3.0, USB 3.1 Gen 1 and USB 3.2 Gen 1 all support data transfer rates up to 5 Gbps.

USB 3.1 Gen 2 and USB 3.2 Gen 2 both support data transfer rates up to 10 Gbps.

Techninė specifikacija

Specifications	
Sandėlio grupė	USB [+3386][[-35]
Ports & interfaces	
Connectivity technology	Wired
Host interface	USB 3.2 Gen 2 (3.1 Gen 2) Type-C
USB 2.0 ports quantity	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3
HDMI ports quantity	2
Microphone in	Yes
Headphone outputs	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
DisplayPorts quantity	1
DC-in jack	Yes

HDCP	Yes
HDCP version	2.2
USB Type-C DisplayPort Alternate Mode	Yes
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100 Mbit/s
Wake-on-LAN ready	Yes
Performance	
Product colour	Grey
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash), SD
Data transfer rate	5 Gbit/s
HD type	4K Ultra HD
Maximum digital resolution	3840 x 2160 pixels
Number of displays supported	3
Plug and Play	Yes
Housing material	Aluminium
Power	
Power source type	DC
Power consumption (typical)	25 W
Software	
Windows operating systems supported	Yes
Mac operating systems supported	Yes
Linux operating systems supported	Yes
Mobile operating systems supported	Yes
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	5 - 90%
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	
Width	122 mm
Depth	122 mm

Height	55 mm
Weight	500 g
Packaging data	
Quantity per pack	1 pc(s)
Package width	450 mm
Package depth	340 mm
Package height	345 mm
Package weight	1.73 kg
Packaging content	
Cables included	AC, USB Type-C
AC adapter included	Yes
Manual	Yes
Technical details	
Compliance certificates	CE, Federal Communications Commission (FCC), REACH, RoHS
Sustainability	
Sustainability compliance	Yes
Matmenys ir svoris	
Svoris	1,75kg