

ICY BOX IB-PCI1901-C32 interface cards/adapter Internal USB 3.2 Gen 2 (3.1 Gen 2)

Gamintojas: **ICY BOX** · Modelis: **IB-PCI1901-C32** · EAN: **4250078170853** · Prekės kodas: **746244**



43,90 €

Kaina su PVM

Be PVM: **36,28 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Expands your desktop PC to one more USB Type-C® 3.2 (Gen 2x2) port
- ✓ Supports USB data transfer rates of up to 20 Gbit/s
- ✓ PCI express base specification revision 3.0 (x4 lanes)
- ✓ Fits into PCIe x4, x8 or x16 slot
- ✓ Asmedia ASM3242 and ASM1541 USB 3.2 (Gen 2x2) controllers
- ✓ LED indicators indicate power and connection



Aprašymas

USB 3.2 (Gen 2x2)

The new IB-PCI1901-C32 expansion card supports USB 3.2 (Gen 2x2) for both AMD and Intel platforms and offers data transfer rates of up to 20 Gbit/s, which is double that of the previous generation. With the USB Type-C® connector design and backward compatibility with USB 2.0/3.0/3.1, the new expansion card offers a cost-effective way for users to upgrade to the USB 3.2 (Gen 2x2) specification.

High Quality

Also the IB-PCI1901-C32 follows the highest ICY BOX quality standards and uses the best available components. The new PCIe expansion card has been thoroughly tested and is ready for immediate use and delivers reliable performance at a reasonable price.

Perfect Symbiosis

USB 3.2 (Gen 2x2)-capable external enclosures are far from being a standard, but ICY BOX already has them and thus belongs to the pioneer of this technology! Be surprised by the incredible data transfer rates of the ICY BOX expansion card IB-PCI1901-C32 in combination with the IB-1916M-C32-NVMe enclosure solution!

Techninė specifikacija

Specifications	
Sandėlio grupė	USB [+3386][-35]
Ports & interfaces	
Host interface	PCIe
Output interface	USB 3.2 Gen 2 (3.1 Gen 2)
Host interface gender	Male
Expansion card standard	PCIe 3.0
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
SATA power connector type	SATA 15-pin
Design	
Internal	Yes
Product colour	Black
LED indicators	Access, Power
Country of origin	China
Features	
Data transfer rate (max)	20 Gbit/s
System requirements	
Windows operating systems supported	Yes
Weight & dimensions	
Width	19 mm
Depth	105 mm
Height	65 mm
Weight	43 g
Packaging data	
Quantity	1
Screws included	Yes
Manual	Yes
Package width	25 mm
Package depth	125 mm
Package height	130 mm

Package weight	158 g
----------------	-------

Logistics data

Harmonized System (HS) code	84718000
-----------------------------	----------

Products per master (outer) case	60 pc(s)
----------------------------------	----------

Master (outer) case width	295 mm
---------------------------	--------

Master (outer) case length	306 mm
----------------------------	--------

Master (outer) case height	397 mm
----------------------------	--------

Master (outer) case gross weight	7.5 kg
----------------------------------	--------

Other features

Material	Metal, Plastic
----------	----------------