

Conceptronic ETTA04B12 USB 4.0 Gen 3 C-C PD 3.1 240W Cable 1.2M, 48V 5A, 40Gbps, E-Mark

Gamintojas: CONCEPTRONIC · Modelis: ETTA04B12 · EAN: 4015867237946 · Prekės kodas: 746271



21,90 €

Kaina su PVM

Be PVM: 18,10 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ USB-C male to USB-C male cable
- ✓ With E-mark chipset
- ✓ USB Power Delivery (PD) 3.1
- ✓ Power Delivery support up to 48V/5A, max. 240W
- ✓ USB4 technology with 40Gbps bandwidth, backwards compatible with USB 3.2, USB 2.0 and Thunderbolt 3
- ✓ Supports resolutions up to 8K at 60Hz
- ✓ Robust and flexible braided cable for extended durability



Aprašymas

Introducing the Conceptronic USB-C cable, your ultimate solution for charging and data transfer! Engineered with cutting-edge PD 3.1 technology and equipped with an E-Mark chipset, this cable delivers a powerful charge of up to 240W (48V/5A), ensuring the safe and efficient charging of your devices. Its durable braided design can withstand twists and tugs, making it ideal for use in tight spaces or on-the-go situations. Additionally, with USB4 technology boasting a 40Gbps bandwidth and backward compatibility with USB 3.2, USB 2.0, and Thunderbolt 3, you can enjoy seamless connectivity across various devices. With support for resolutions up to 8K at 60Hz, the Conceptronic USB-C cable ensures crystal-clear display quality for your multimedia needs. Whether you're at home, in the office, or on the move, the Conceptronic USB-C cable is your dependable companion for all your connectivity needs, providing you with a seamless and efficient experience every time.

Techninė specifikacija

Specifications	
Sandėlio grupė	USB [+3386][-35]
Features	
USB version	USB4 Gen 3x2
Connector 1	USB C
Connector 2	USB C
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Cable jacket type	Braided
Maximum data transfer rate	40000 Mbit/s
Maximum data transfer rate	40 Gbit/s
Cable type	Round cable
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3.1
USB Power Delivery up to	240 W
Maximum resolution	7680 x 4320 pixels
Power	
Output voltage	48 V
Output current (max)	5 A
Weight & dimensions	
Cable length	1.2 m
Width	4 mm
Depth	4 mm
Height	1200 mm
Weight	90 g
Packaging data	
Package width	60 mm
Package depth	37 mm
Package height	150 mm
Package weight	100 g

Packaging content

Quantity per pack	1 pc(s)
-------------------	---------

Certificates

Compliance certificates	CE, RoHS
-------------------------	----------

Logistics data

Products per master (outer) case	100 pc(s)
Master (outer) case width	400 mm
Master (outer) case length	200 mm
Master (outer) case height	300 mm
Master (outer) case gross weight	10.5 kg
Products per pallet	40 pc(s)
Pallet gross width	120 cm
Pallet gross length	80 cm
Pallet gross height	2 m
Harmonized System (HS) code	8544421900
Country of origin	China