

Equip USB 4 Ultra Slim C to C Cable, 1.2m, PD240W, 4K/60Hz, 40Gbps, Black

Gamintojas: **EQUIP** · Modelis: **128389** · EAN: **4015867243657** · Prekės kodas: **746345**



30,90 €

Kaina su PVM

Be PVM: **25,54 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ USB-C to C Male (Compatible with TB3/TB4)
- ✓ Ultra slim, OD=3.2mm diameter
- ✓ 40Gbps data transfer rate
- ✓ with E-mark Chipset
- ✓ Power Delivery 3.1 support up to 48V/5A, Max. 240W
- ✓ Support of USB Power Delivery (PD)
- ✓ Resolution: up to 8K@60 Hz
- ✓ Supports HDR10
- ✓ Supports HDCP 1.4 and 2.3
- ✓ Supports PCI Express 3.0 protocol



Aprašymas

The 128389 USB4 ultra-slim C to C cable is engineered for high-speed data transfer, advanced display connectivity, and extreme power delivery in a lightweight, space-saving design.

Built on USB4 technology, it supports data transfer speeds up to 40Gbps and is compatible with Thunderbolt 3 and Thunderbolt 4 devices. The cable enables seamless connections between laptops, tablets, smartphones, external SSDs, docks, and displays, while supporting video output up to 8K at 60Hz via DisplayPort 1.4a and DP Alt Mode.

With an integrated E-marker chipset and Power Delivery 3.1 support, the cable delivers up to 240W (48V/5A), making it suitable for charging power-

hungry laptops and professional devices. The ultra-slim 3.2 mm outer diameter, combined with a premium braided jacket, double shielding, and aluminum housing, ensures flexibility, durability, and stable signal performance for everyday and mobile use.

Techninė specifikacija

Specifications	
Sandėlio grupė	USB [+3386][-35]
Features	
USB version	USB4 Gen 3x2
Connector 1	USB C
Connector 2	USB C
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Cable jacket material	Cotton
Conductor material	Copper
Cable type	Round cable
Plug and Play	Yes
Fast charging	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3.1
USB Power Delivery up to	240 W
USB Type-C DisplayPort Alternate Mode	Yes
DisplayPort version	1.4a
Maximum resolution	7680 x 4320 pixels
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
HDCP	Yes
HDCP version	1.4/2.3
Power	
Input voltage	48 V
Input current (max)	5 A
Weight & dimensions	
Cable length	1.2 m

Cable diameter	3.2 mm
Width	85 mm
Depth	100 mm
Height	1200 mm
Weight	24 g

Packaging data

Package type	Polybag
Package width	100 mm
Package depth	175 mm
Package height	12 mm
Package weight	26 g

Packaging content

Quantity per pack	1 pc(s)
-------------------	---------

Certificates

Compliance certificates	CE, REACH, RoHS
-------------------------	-----------------

Logistics data

Products per master (outer) case	200 pc(s)
Master (outer) case width	400 mm
Master (outer) case length	370 mm
Master (outer) case height	125 mm
Master (outer) case gross weight	5.7 kg
Customs product code (TARIC)	8544421900
Country of origin	China