

InLine 172100 DisplayPort cable 10 m Mini DisplayPort / DisplayPort Black

 Gamintojas: **INLINE** · Modelis: **172100** · EAN: **4043718336227** · Prekės kodas: **749174**


122,90 €

Kaina su PVM

 Be PVM: **101,57 €**

Sandėlyje


Prekė internetu

 Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 10 m
- ✓ Mini DisplayPort / DisplayPort Straight Male
- ✓ Mini DisplayPort / DisplayPort Straight Male
- ✓ DisplayPort version: 1.4
- ✓ 7680 x 4320 pixels 144 Hz 32.8 Gbit/s
- ✓ HDCP 3D
- ✓ Black



Aprašymas

Hybrid cable made of copper and fiber optics for high range and interference immunity
 Detachable connectors for easy installation in tight environments
 Mini DisplayPort adapter included for flexible device compatibility
 High data rate up to 32.8 Gb/s for 8K/4K resolution with 3D, HDR10 and much more.
 Rugged workmanship with gold-plated contacts and PVC sheathing

The InLine® DisplayPort 1.4 AOC cable combines innovative hybrid technology with professional flexibility. The combination of fiber optic and copper wires enables the highest signal quality even with cable lengths of up to 50 m. Thanks to detachable connectors and Mini DisplayPort adapters, it is particularly installation-friendly and versatile - ideal for system houses, AV professionals and IT infrastructures. Gold-plated contacts, a robust PVC

jacket and support for current standards such as HDR10, HDCP 2.2 and 8K at 60Hz make this cable a reliable choice for demanding environments. The compact design also allows it to be used in tight installation situations.

- Hybrid construction: 4 fiber optic and 8 copper cores
- Directional: Source to display
- Metal connector, detachable DP to mini-DP adapter
- Cable diameter: 4.8 mm, PVC jacket
- Supported resolutions: 7680×4320 @60Hz, 3840×2160 @144Hz (DSC)
- Max. Data rate: 32.8 Gb/s
- Standards: 3D, HDCP2.2, DPCP1.0, EDID, HDR10

Techninė specifikacija

Specifications	
Sandėlio grupė	> Kabel und Adapter > Displayport Kabel und Adapter [+1987][-131]
Features	
Cable length	10 m
Connector 1	Mini DisplayPort / DisplayPort
Connector 2	Mini DisplayPort / DisplayPort
Connector 1 gender	Male
Connector 2 gender	Male
Maximum resolution	7680 x 4320 pixels
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Gold
DisplayPort version	1.4
Supported graphics resolutions	3840 x 2160, 7680 x 4320
Maximum refresh rate	144 Hz
HDCP	Yes
HDCP version	2.2
DisplayPort Content Protection (DPCP)	Yes
3D	Yes
Jacket material	Polyvinyl chloride (PVC)
High Dynamic Range (HDR) supported	Yes
Data transfer rate	32.8 Gbit/s
Colour sampling	4:4:4
Operational conditions	
Operating temperature (T-T)	0 - 50 °C

Storage temperature (T-T)	-20 - 70 °C
---------------------------	-------------

Certificates

Compliance certificates	RoHS, TÜV mark
-------------------------	----------------

Weight & dimensions

Cable diameter	4.8 mm
----------------	--------

Weight	396 g
--------	-------

Packaging data

Package width	235 mm
---------------	--------

Package depth	225 mm
---------------	--------

Package height	40 mm
----------------	-------

Package weight	490 g
----------------	-------

Package type	Box
--------------	-----

Package volume	2100 cm ³
----------------	----------------------

Logistics data

Country of origin	Taiwan
-------------------	--------

Other features

Depth	10000 mm
-------	----------

Height	11 mm
--------	-------

Width	20 mm
-------	-------

Matmenys ir svoris

Svoris	0,49kg
--------	--------