

ATEN 2 x 4 USB 3.2 Gen1 Sharing Switch (Host Type: A+C)

Gamintojas: **ATEN** · Modelis: **US5324** · EAN: **4711581521452** · Prekės kodas: **749279**



35,90 €

Kaina su PVM

Be PVM: **29,67 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Four USB device sharing across one USB Type-A and one USB-C computers
- ✓ Quick switch via built-in pushbutton and remote port selector
- ✓ 5 Gbps data transfer with USB 3.2 Gen 1
- ✓ Compact enclosure with accent lighting



Aprašymas

Enables sharing of four USB peripherals at blazing-fast 5 Gbps between one USB Type-A host and one USB Type-C host at a press of the pushbutton or the remote port selector

The US5324 is a 2-Port USB 3.2 Gen 1 Sharing Switch designed to simplify data sharing between computers using both USB-A and USB-C peripherals, making it ideal for professional and personal workspaces. With an intuitive plug-and-play experience and a space-efficient design, the US5324 is your best companion for any dual-computer desktop setup—whether you're working, creating, or multitasking. Featuring InstaSync™, you can easily switch control of up to three USB-A peripherals and one USB-C peripheral between two computer systems, all while keeping your desktop tidy and clutter-free.

Techninė specifikacija

Specifications

Sandėlio grupė	Audio & Video [+3815][-179]
Ports & interfaces	
Ports quantity	8
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-A + Type-C
Hub interfaces	USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	5
Features	
Data transfer rate	5000 Mbit/s
Product colour	Black
LED indicators	Yes
Plug and Play	Yes
Country of origin	China
Power	
Power supply type	USB
Weight & dimensions	
Width	56.5 mm
Depth	145 mm
Height	15.2 mm
Weight	70 g
Packaging data	
Quantity per pack	1 pc(s)
Packaging content	
Cables included	USB Type-C to USB Type-C, USB Type-A to USB Type-C
Quick start guide	Yes
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	10 - 80%
Logistics data	
Products per master (outer) case	20 pc(s)
Harmonized System (HS) code	84718000
Matmenys ir svoris	

Matmenys (I × P × A)

6,00cm × 15,00cm × 2,00cm