

ATEN 4-Port True 4K HDMI Splitter

Gamintojas: **ATEN** · Modelis: **VS4814** · EAN: **4711581521605** · Prekės kodas: **749280**



36,91 €

Kaina su PVM

Be PVM: 30,50 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ EDID Sync™ – avoids boot-up display issues & optimizes resolutions
- ✓ One HDMI source shares four True 4K displays
- ✓ LPCM 7.1, Dolby® & DTS-HD Master Audio™
- ✓ Compact and aesthetic design with slick accent light



Aprašymas

The VS4814 is a 4-Port True 4K HDMI Splitter engineered to meet the highest demands of modern digital signage and commercial display applications. Featuring EDID Sync™, it delivers up to four simultaneous video streams from a single HDMI source, ensuring HDMI and HDCP 2.2-compliant visual excellence at all times. With support for HDR10+, 3D formats, and Deep Color, the VS4814 provides richer contrast and a wider color spectrum for truly immersive viewing experiences.

EDID Sync™ Smart Display Optimization

Automatically optimizes resolutions and prevents display issues for flawless display presentation

True 4K Dual-Display Sharing

Shares one HDMI source across four True 4K displays for maximum visual impact with uncompromised quality

HDMI 3D/Deep Color, HDR10+, HDCP 2.2 Compatible

Guarantees stable performance, broad compatibility, and superior image quality

Master-Class Audio Immersion

Full support for LPCM 7.1, Dolby® & DTS-HD Master Audio™ delivers theatrical-quality surround sound

Aesthetic Compact Form

Slim profile and stylish accent lighting allow integration into any space, perfectly complementing your setting

Techninė specifikacija

Specifications	
Sandėlio grupė	Audio & Video [+3815][-179]
Ports & interfaces	
Video ports quantity	5
Video port type	HDMI
Video out	4x HDMI
Features	
Maximum resolution	3840 x 2160 pixels
Product colour	Black
Housing material	Polycarbonate (PC)
HD type	4K Ultra HD
Maximum operating distance	3 m
Maximum refresh rate	60 Hz
HDCP version	2.2
Data transfer rate	18 Gbit/s
HDCP	Yes
LED indicators	Yes
Power	
Output voltage	5 V
Output current	1 A
USB powered	Yes
Weight & dimensions	
Width	56.5 mm
Depth	145 mm
Height	15.2 mm
Weight	100 g
Packaging content	
Cables included	USB Type-A to USB Type-C

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 80%
Storage relative humidity (H-H)	0 - 80%

Logistics data

Harmonized System (HS) code	85437090
Products per master (outer) case	20 pc(s)
Country of origin	China

Matmenys ir svoris

Svoris	0,18kg
--------	--------